Dynamic Color Solutions Concrete Colors



Section 1 Product Description

Product Name: Dynamic Color Solutions Concrete Colors

Recommended Use: Coloration/pigmentation of concrete products

Synonyms: Ferric Oxide, Iron Oxide

Dynamic Color Solutions | 2024 S. Lenox, Milwaukee, WI 53217 | (800) 657-0737

Chemical Information: (800) 657-0737 (8:00 AM - 4:30 PM (CT) M-F)

Revision Date: 5/1/15

Section 2 Hazard Information

Label Elements

Physical Hazards:Not classified.Hazard Symbol:None.Health Hazards:Not classified.Signal Word:None.

Environmental Hazards: Not classified. Hazard Statement: The substance does not meet the criteria for classification

OSHA Defined Hazards: Not classified. Precautionary Statement

None.

Prevention: Observe good industrial hygiene practices.

Hazard(s) Not Otherwise

Supplemental Information:

Classified (HNOC):

None known.

Response:

Wash hands after handling.

Storage: Store away from incompatible materials.

Disposal: Dispose of waste and residues in accordance with local authority

requirements.

Section 3 Composition / Information on Ingredients

Substances

Silica, Crystalline (Quartz)

Chemical Name	CAS#	<u>%</u>
Natural Iron Oxide Ochre	1343-81-3	0 - 100
Red Iron Oxide	1309-37-1	0 - 100
Calcium Carbonate (Limestone, Whitening)	1317-65-3	0 - 100
Yellow Iron Oxide (Fe2O3)	51274-00-1	0 - 100
Black Iron Oxide	1317-61-9	0 - 100
Burnt Umbre	12713-03-0	0 - 100
Cobalt Oxide	1345-16-0	0 - 100
Chromium Oxide	1308-38-9	0 - 100
Titanium Dioxide	13463-67-7	0 - 100
Carbon Black	1333-86-4	0 - 100
<u>Impurities</u>		
Chemical Name	<u>CAS #</u>	<u>%</u>

Concrete Colors Page 1 of 5

14808-60-7

0 - 9

Section 4 First Aid Measures

Inhalation: If INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Take off contaminated clothing and wash before reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show

this container or label.

Section 5 Firefighting Procedures

Extinguishing Media: Use foam, carbon dioxide, or dry chemical extinguishing agents. Water spray or fog

may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat and keep exposed material from being damaged

by fire.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-

contained breather apparatus.

Fire and/or Explosion Hazards: N/A
Hazardous Combustion Products: None

Section 6 Spill or Leak Procedures

Steps to Take in Case Material Is

Released or Spilled:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Avoid the generation of dusts during clean-up. Avoid contact with material,

avoid breathing dusts or fumes, use only in a well ventilated area.

Environmental Precautions: Avoid runoff into storm sewers and ditches that lead to waterways. Do not flush spill to drain. Prevent the spread of any spill to minimize harm to human health and the

environmental if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Gather and

store in a sealed container pending a waste disposal evaluation.

Section 7 Handling and Storage

Handling: Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves/protective

clothing/eye protection/face protection. Avoid creating and inhaling dust.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Keep container tightly closed in a cool, well-ventilated place.

Storage Code: Green—general chemical storage.

Concrete Colors Page 2 of 5

Section 8

Protection Information

Occupational Exposure Limits			
U.S. OSHA Table Z-3 (29 CFR 1910.1000)	Туре	Value	Form
SILICA, CRYSTALLINE (QUARTZ) (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Carbon Black/Elemental Carbon C (CAS 1333-6-4)	TWA	3.5 mg/m3	Total dust.
U.S. ACGIH Threshold Limit Values Impurities	Туре	Value	Form
SILICA, CRYSTALLINE (QUARTZ) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Carbon Black/Elemental Carbon C (CAS 1333-6-4)	TWA	3.5 mg/m3	Total dust.
Green Chromium Oxide Powder Cr2O3 (CAS 1308-38-9)	TWA	.500 mg/m3	Total dust.
U.S. NIOSH: Pocket Guide to Chemical Hazards			
Impurities	Туре	Value	Form
SILICA, CRYSTALLINE (QUARTZ) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles)

Skin Protection

Hand Protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory Protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal Hazards Wear appropriate thermal protective clothing, when necessary.

General Hygiene Considerations Always observe good personal hygiene measures, such as washing after han-

dling the material and before eating, drinking and/or smoking. Routinely wash

work clothing and protective equipment to remove

contaminants.

Section 9 Physical Data

Formula: Fe203 Evaporation Rate (BuAc=1): N/A

Odor: No data available

Vapor Density (Air=1): N/A

Odor Threshold: No data available

Specific Gravity: Varies

pH: N/A Solubility in Water: No data available

Melting Point: Not Available Log Pow (calculated): No data available

Boiling Point: No data available **Autoignition Temperature:** No data available

Flash Point: No data available Decomposition Temperature: No data available

Flammable Limits in Air: N/A - N/A Viscosity: No data available

Vapor Pressure: N/A Percent Volatile by Volume: N/A

Section 10 Reactivity Data

Reactivity: No data available

Chemical Stability: Stable under normal conditions

Conditions to Avoid: None known

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: No hazardous decomposition products are known

Hazardous Polymerization: Will not occur

Concrete Colors Page 3 of 5

Section 11 Toxicity Data

Routes of Entry: Inhalation and ingestion

Symptoms (Acute): N/A

Delayed Effects: No data available

Acute Toxicity:

Chemical NameCAS NumberOral LD50Dermal LD50Inhalation LC50No data available1309-37-1Not determinedNot determinedNot determined

Carcinogenicity:

Chemical Name CAS Number Oral LD50 Dermal LD50 Inhalation LC50

No Data Available 1309-37-1 Not Listed Not Listed Not Listed

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, CRYSTALLINE (QUARTZ) (CAS 14808-60-7) 1 Carcinogenic to humans

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050

Not listed.

U.S. National Toxicology Program (NTP) Report on

Carcinogens

SILICA, CRYSTALLINE (QUARTZ) (CAS 14808-60-7)

Known To Be Human Carcinogen

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect)

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of a negative reproductive effects.

Section 12 Ecological Data

Overview: This material is not expected to be harmful to the ecology.

Mobility:No dataPersistence:No dataBioaccumulation:No dataDegradability:No dataOther Adverse EffectsNo data

Chemical Name CAS Number Eco Toxicity

N/A 1309-37-1 None

Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations.

Always contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Concrete Colors Page 4 of 5

Section 14 Transport Information

Ground - DOT Proper Shipping Name: Air - IATA Proper Shipping Name:

N/A Not regulated for air transport by IATA

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Eco Toxicity CERCLA RQ Chemical Name CAS Number §313 Name §304 RQ

No data available 1309-37-1 No No No No

Section 16 Additional Information

Revised: 09/03/2014 Replaces: N/A Printed: 5/6/2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Dynamic Color Solutions makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary:

N/A

ACGIH NTP American Conference of National Toxicology Program

Governmental Industrial Hygienists

CAS Chemical Abstract Service Number OSHA Occupational Safety and Health

Administration

CERCLA Comprehensive Environmental PEL Permissible Exposure Limit

Response, Compensation, and Liability

Act

Not Available

DOT Parts per million U.S. Department of Transportation ppm

IARC International Agency for Research on **RCRA Resource Conservation and Recovery**

Cancer Act **SARA**

Reauthorization Act

TLV Threshold Limit Value

TSCA Toxic Substance Control Act

IDLH Immediately dangers to life and health

Superfund Amendments and

Concrete Colors Page 5 of 5