

Safety Data Sheet

Issue Date: 01-April-2015

Revision Date: 02-Dec-2014

1. IDENTIFICATION

Product Identifier

Product Name Champion -20 Degree Windshield Wash

Other means of identification

SDS # CPD-011

UN/ID No UN1987

Recommended use of the chemical and restrictions on use

Recommended Use Window cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Champion Packaging & Distribution
1840 International pkwy
Woodridge, IL 60517

Emergency Telephone Number

Company Phone Number 630-972-0100
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Blue liquid

Physical State Liquid

Odor Characteristic slight alcohol odor

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable Liquids	Category 3

Signal Word

Danger

Hazard Statements

Harmful if swallowed
Toxic in contact with skin
Causes damage to organs
Toxic if inhaled
Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves/protective clothing/eye protection/face protection
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Keep cool

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 Call a poison center or doctor/physician if you feel unwell
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth
 IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Methyl alcohol	67-56-1	30-40

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice	IF exposed: Call a POISON CENTER or doctor/physician.
Eye Contact	Wash eyes immediately with running water, lifting the lower and upper lids occasionally. Rinse for 7-15 minutes. Get medical attention as soon as possible.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air at once. Restore and/or support breathing as required. Keep victim warm and at rest. Get medical attention as soon as possible.
Ingestion	Call a poison center or doctor/physician if you feel unwell. Rinse mouth.

Most important symptoms and effects**Symptoms**

May be harmful in contact with skin. Harmful if swallowed. Causes damage to organs. Methanol is a poisonous narcotic chemical that may exert its effects through inhalation, skin absorption, or ingestion. Elimination of methanol from the body is slow, and the toxic effects can be compounded by repeated excessive exposures over several days. Toxic effects are exerted upon the CNS, especially the optic nerve and possibly the retinae. Symptoms of overexposure include dizziness, visual impairment, nausea, respiratory failure, muscular incoordination, and narcosis. Visual disturbances may clear temporarily, then reoccur and progress to blindness. Prolonged or repeated contact with the skin may cause dermatitis, erythema, and scaling. Vapors of methanol are mildly irritating to the eyes, while direct contact with the liquid may cause irritation, pain, and transient corneal opacity. Ingestion of methanol can cause blindness and death. The fatal dose is 100-250mL, although death from ingestion of less than 33 mL has been reported.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Carbon dioxide (CO₂). Dry chemical. Alcohol foam. Water mist. Water fog.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Moderate explosion hazard and dangerous fire hazard when exposed to heat, sparks or flames and can react vigorously with oxidizing agents.

Hazardous Combustion Products Toxic gases and vapors (i.e., carbon monoxide, formaldehyde) may be released in a Methanol fire.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Use personal protective equipment as required. Remove all sources of ignition. Provide adequate ventilation.

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up**Methods for Containment**

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Small quantities may be absorbed on paper towels. Evaporate in a safe place (such as a fume hood). Burn paper in an approved incinerator or open pit away from buildings and people. Large quantities can be collected and atomized in a suitable combustion chamber. Spills in sensitive areas may be diluted and flushed to ground with a water spray. Do not flush to sewer or other confined space. Spills of 5,000 pounds or more must be reported to the National Response Center (800-424-8802) pursuant to the Comprehensive Environmental Response, Compensation and Liability Act.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear protective gloves/protective clothing and eye/face protection. Keep cool. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store away from heat, sparks, flame. Store away from incompatible materials.

Incompatible Materials

Strong oxidizing agents such as nitrates, perchlorates or Sulfuric acid.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Appropriate engineering controls**Engineering Controls**

Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Safety glasses.

Skin and Body Protection

Impervious gloves and protective clothing are recommended.

Respiratory Protection

Any air-supplied respirator or self-contained breathing apparatus. Only NIOSH or MSHA approved equipment should be used.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Characteristic slight alcohol odor
Appearance	Blue liquid	Odor Threshold	Not determined
Color	Blue		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7-10	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	86.7 °C / 188 °F	
Flash Point	38.3 °C / 101 °F	CC (closed cup)
Evaporation Rate	5.9	(butyl acetate = 1)
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	36.5	
Lower Flammability Limit	6.7	
Vapor Pressure	97	@ 68°F (20 °C)
Vapor Density	1.1	(Air=1)
Specific Gravity	0.954	(Water = 1)
Water Solubility	Fully miscible	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Excessive heat and fire. Strong oxidizing agents.

Incompatible Materials

Strong oxidizing agents such as nitrates, perchlorates or Sulfuric acid.

Hazardous Decomposition Products

Toxic gases and vapors (i.e., carbon monoxide, formaldehyde) may be released in a Methanol fire.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Avoid contact with eyes.

Skin Contact

Toxic in contact with skin.

Inhalation

Toxic if inhaled.

Ingestion

Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 83.2 mg/L (Rat) 4 h = 64000 ppm (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

STOT - single exposure Causes damage to organs.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methyl alcohol 67-56-1		28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Methyl alcohol 67-56-1	-0.77

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1		Included in waste stream: F039		U154

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Methyl alcohol 67-56-1	Toxic Ignitable

14. TRANSPORT INFORMATION**Note**

For combination packagings (e.g. boxes) containing inner packagings (e.g. bottles) of 5 L (1.33 gal) or less, the product is shipped as a limited quantity per 49 CFR 173.150(b). For IBC's "totes", the product is shipped as UN1987, ALCOHOLS, N.O.S. (METHANOL), 3, III.

DOT

UN/ID No	UN1987
Proper Shipping Name	Alcohols, n.o.s. (Methanol)
Hazard Class	3
Packing Group	III

IATA

Proper Shipping Name The product as packaged is not approved for air transportation.

IMDG

UN/ID No	UN1987
Proper Shipping Name	Alcohols, flammable, toxic, n.o.s. (Methanol)
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	III
Marine Pollutant	Methanol
Description	For combination packagings (e.g. boxes) containing inner packagings (e.g. bottles) of 5 L (1.33 gal) or less, the product is shipped as a limited quantity per IMDG Code Chapter 3.4.

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Methyl alcohol	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methyl alcohol 67-56-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	67-56-1	33	1.0

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Methyl alcohol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methyl alcohol 67-56-1	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	1	3	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	2	1	B

Issue Date: 01-April-2015
Revision Date: 02-Dec-2014
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet