



Issue Date: 7/27/2009

Revision : 5/19/2015

1. IDENTIFICATION

Product Identifier**Product Name** Mechanics Brand Starting Fluid 50275MB 50274MB**Other means of identification**

Product Code 50275MB 50274MB
UN/ID No UN1950

Recommended use of the chemical and restrictions on use**Recommended Use** Engine starting fluid..**Details of the supplier of the safety data sheet****Supplier Address**

Airosol Company, Inc.
 1206 Illinois St.
 Neodesha, KS 66757

Emergency Telephone Number

Company Phone Number 620-325-2666
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless liquid**Physical State** Aerosol**Odor** Aromatic/ketone-like**Classification**

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

Signal Word**Danger**

Hazard Statements

Harmful if swallowed
 Harmful in contact with skin
 Harmful if inhaled
 Causes skin irritation
 May be fatal if swallowed and enters airways
 May cause drowsiness and dizziness.
 Extremely flammable aerosol
 Repeated exposure may cause skin dryness or cracking

**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Wear eye/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Do not spray on an open flame or other ignition source
 Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash it before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a poison center or doctor/physician if you feel unwell
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Do not induce vomiting
 Rinse mouth

Precautionary Statements - Storage

Store locked up
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Heptane (Hydrotreated Light Petroleum Naphtha)	64742-49-0	75-80
Di Ethyl Ether	61-50-8	15-20
Carbon dioxide	124-38-9	3-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with soap and plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician if you feel unwell.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects

Symptoms	Contact may cause irritation and redness. Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Gastric lavage should only be considered by medical personnel following intubation with a cuffed endotracheal tube.
---------------------------	---

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Alcohol resistant foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media Do not use direct stream of water, material may float and reignite.

Specific Hazards Arising from the Chemical

Vapors are heavier than air and may spread along floors. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Remove all sources of ignition.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not get in eyes, on skin, or on clothing. Do not throw empty containers in trash compactor.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not store at temperatures above 120°F. Store locked up.

Incompatible Materials Strong oxidizers. Strong acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane 64742-49-0	342 ppm (1400 mgm ³) 8 hours	NE	NE
Di Ethyl Ether 61-50-8	STEL: 500 ppm TWA: 400 ppm	1000 ppm	NE
Carbon dioxide 124-38-9	STEL: 30000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m ³ (vacated) TWA: 10000 ppm (vacated) TWA: 18000 mg/m ³ (vacated) STEL: 30000 ppm (vacated) STEL: 54000 mg/m ³	IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles.

Skin and Body Protection Wear appropriate clothing to prevent repeated or prolonged skin contact. Wear lined non-permeable rubber gloves like buna or nitrile.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Aerosol	Odor	Aromatic/ketone-like
Appearance	Colorless liquid	Odor Threshold	Not determined
Color	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	< -17 °C / < 0 °F	
Evaporation Rate	Faster than butyl acetate	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	12.8%	
Lower Flammability Limit	1.0%	
Vapor Pressure	110 psig	
Vapor Density	Greater than air	
Specific Gravity	0.69-0.71	(1=Water)
Water Solubility	~5%	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content	96%	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Avoid temperatures above 120°F. Avoid direct sunlight.

Incompatible Materials

Strong oxidizers. Strong Acids.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Mild eye irritation.
Skin Contact	Causes skin irritation. Harmful if prolonged contact with skin occurs.
Inhalation	Harmful if inhaled.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Di Ethyl Ether 61-	= 1215 mg/kg (Rat)	20 mL/kg (Rabbit)	-
Heptane 64742-49-0	No information	No information	No information

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	Not classifiable as a human carcinogen.
Reproductive toxicity	No information.
STOT - single exposure	No information.
STOT - repeated exposure	No information.
Aspiration hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Micotox	Water Flea
Di Ethyl Ether 61-50-8	NE	10000 mg/L LC50 96 h 2560 mg/L LC50 96 h	EC=5600 mg/L 15 min	EC50= 165 mg/L/24 h
Heptane 64742-49-0	NE	NE	NE	NE

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1

IATA

UN/ID No	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1

IMDG

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1
Marine Pollutant	This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION**International Inventories**

TSCA	Listed
-------------	--------

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA:** None listed.**SARA 313:** None Listed.

CWA (Clean Water Act): None Listed.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.
None listed.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Heptane	X	X	X
Di Ethyl Ether	X	X	X
Carbon dioxide 124-38-9	X	X	X

16. OTHER INFORMATION

NFPA

Health Hazards

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS

Health Hazards

2

Flammability

4

Physical Hazards

0

Personal Protection

Not determined

Issue Date: 5/19/2015

Revision Date:

Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet