SAFETY DATA SHEET

SECTION I: IDENTIFICATION

Product:	CT 9005
Description:	RTU 70 Concrete Ripper
Company Identification:	Chemtech, Inc. 501 Visions Parkway Adel, IA 50003 Phone: 888-570-5333 Website: www.chemtechus.com



Company Emergency Telephone Number: CHEMTREC 1-800-424-9300

SECTION II: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION

Acute Toxicity - Inhalation:	Harmful if swallowed - Category 4 H302 Harmful if inhaled - Category 4 H332
Skin Corrosion / Irritation:	Causes severe skin burns and eye damage - Category 1B H314
Eye Damage / Eye Irritation:	Causes serious eye damage - Category 1 H318 May cause respiratory irritation - Category 1 H335
Corrosive to Metals:	Category 1
GHS LABEL ELEMENTS	
Signal Word:	Danger
Hazard Pictograms:	

HAZARD STATEMENTS

Health:	Harmful if swallowed H302
	May cause respiratory irritation H335
	Causes severe skin burns and eye damage H314
	Causes serious eye damage H318
	Harmful if inhaled H332

PRECAUTIONARY STATEMENTS

Prevention:	Avoid breathing dust/fumes/gas/mist/vapors/spray P261 Wash thoroughly after handling P264 Do not eat, drink or smoke when using this product P270 Use only outdoors or in a well-ventilated area P271 Wear protective gloves/protective clothing/eye protection/face protection P280
Response:	Specific treatment (see this label) P321 Wash contaminated clothing before reuse P363
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing P305+351+338

Skin:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P303+361+353
Inhalation:	IF INHALED: Move person to fresh air and keep comfortable for breathing P304+340
Ingestion:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P301+330+331
Spill:	Absorb spillage to prevent material damage P390
Storage:	Store in accordance with local/regional/national and international regulations. Store in a well-ventilated place. Keep container tightly closed P403+233 Store away from incompatible materials. Store locked up P420+405
Dianaaalu	Dispass of contents in accordance with least/regional/patients and international regulations. DE01

Disposal:

Dispose of contents in accordance with local/regional/national and international regulations. - P501

SECTION III: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Weight - %
Water	7732-18-5	24-29%
Nonylphenol polyethylene glycol ether	127087-87-0	0-5%
Hydrochloric Acid	7647-01-0	70-75%

Specific chemical identity and/or exact percentage of mixture has been withheld as a trade secret.

SECTION IV: FIRST AID MEA	SURES	
Eye Contact:	Immediately flush eyes with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.	
Skin Contact:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.	
Inhalation:	If over exposure occurs, and respiratory symptoms occur, move victim away from exposure and into fresh air. Oxygen should be administered if breathing difficulties develop. Seek immediate medical attention.	
Ingestion:	If ingested do not induce vomiting. Give water or milk of magnesia. Never give anything to an unconscious person. Do not leave victim unattended. Get immediate medical attention.	
SYMPTOMS OF EXPOSURE		
Eye Contact:	Corrosive, causes eye burns. Direct eye contact with product may cause redness, tearing and stinging.	
Skin Contact:	Corrosive, causes burns with contact.	
Inhalation:	Corrosive, breathing high concentrations of vapors or mists causes irritation of the nose and throat, dizziness, weakness, fatigue, nausea, headache.	
Ingestion:	Corrosive, ingestion can cause immediate pain and burns to the mouth, throat, esophagus and gastrointestinal tract. May cause nausea, vomiting and diarrhea.	
Comments:	ents: If exposure and symptoms occur seek immediate medical attention.	
SECTION V: FIRE-FIGHTING	MEASURES	
Extinguishing Media:	Flood with water, dry chemical powder, CO ₂ or alcohol foam.	
Specific Hazards from the Ch	hemical: Hazardous decomposition. Highly corrosive to many materials. Hydrogen gas formed on contact with most metals. HCl Vapors emitted when heated. Chlorine	

mist, vapors or spray.

gas may be formed by electrolysis or oxidation. Avoid breathing dust, fumes, gas,

Hazardous Combustion Products:		Muriatic acid does not decompose at temperatures below 1500 ^o C. It is non- flammable, however flammable and potentially explosive hydrogen gas is generated from reaction with most metals.		
Protective Equipment / Precautions for Firefighters:		Special fire fighting procedures: Cool exposed equipment with water spray using full protective clothing and self contained breathing apparatus if fighting fire. Unusual fire and explosion hazards: None expected. Can react with most metals to form flammable hydrogen gas.		
SECTION VI: ACCIDENTAL RELEASE MEASURES				
Personal Precautions:	Put on ap	propriate personal protective equipment (see Section 8).		
Environmental Precautions:	Do not allow spills to enter drains or waterways. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using the toilet. Promptly remove any soiled clothing and wash thoroughly before reuse.			
Methods for Cleaning Up:	Precautions in case of a spill: Absorb spill with inert material, place in a chemical waste container, then neutralize with soda ash or lime. For large spills, dike and isolate spill for later disposal, neutralize with soda ash or lime. Immediately clean up of any spill is recommended. Dispose of in accordance with local, state and federal regulations. Contain,			

SECTION VII: HANDLING AND STORAGE		
Precautions for Safe Handling:	See Section 2 for fur	ther details (Prevention).
Conditions for Safe Storage, Including an	y Incompatibilities:	Storage facilities must be properly designed. Use dikes to contain any spillage. Store between 40° F and 140° F.
Incompatible Materials:		xides, hydroxides, amines, carbonates and other alkaline metals. Strong I attack most metals. Avoid contact with glass.
Safe Storage:	•	ontainer under cool and dry conditions. Keep out of direct sunlight. Do npty container. Do not store with or near strong bases. See Section 2 orage).

dilute cautiously with water, and neutralize with soda ash or lime.

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:	None established	L	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Hydrochloric Acid	2 ppm	7 mg/m³ - 5 ppm	7 mg/m³ - 5 ppm
Engineering Controls:		al Exhaust recommended. Eye wash s uld be available. Use good personal hy	
PERSONAL PROTECTIVE EQUIP	MENT (PPE)		
Eye/Face Protection:	Chemical splash	goggles.	
Skin/Body Protection:	Acid resistant glo	ves. Full acid resistant clothing and bo	oots recommended.
Respiratory Protection:		oors. Engineering or administrative cor Use NIOSH recommended respirator	
General Hygiene:		ore eating, drinking, smoking or using the thing and thoroughly wash before reused	
	See Section 2 for	further details (Prevention).	

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Color	Liquid / Clear Pink
Odor	Typical Acid
рН	1.5 - 2.0
Melting Point / Freezing Point	No information available
Boiling Point / Boiling Range	> 212 ⁰ F
Flash Point	> 100 ^o C / > 212 ^o F
Evaporation Rate	No information available
Flammability (Solid, gas)	No information available
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	1.445
Solubility(ies)	No information available
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

SECTION X: STABILITY AND REACTIVITY

Reactivity:	Hazardous polymerization will not occur.
Chemical Stability:	Stable under normal circumstances.
Possibility of Hazardous Reaction:	No data available.
Conditions to Avoid:	Avoid heat and direct sunlight. Self contained breathing apparatus should be used to prevent inhalation of gases. Water fog will be the most effective for controlling vapors.
Incompatible Materials:	Contact with metal oxides, hydroxides and other alkaline metals. Strong alkaline material. Will attack most metal. Avoid contact with glass.
Hazardous Decomposition:	Highly corrosive to many materials. Hydrogen gas formed on contact with most metals. HCI vapors emitted when heated. Chlorine gas may be formed by electrolysis or oxidation.

SECTION XI: TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates (ATE):

INFORMATION ON TOXICOLOGICAL EFFECTS

Component Acute Toxicity:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenol polyethylene glycol ether	3,980 mg/kg (Rat)	2,991 mg/l (Rabbit)	
Hydrochloric Acid	900 mg/kg (Rabbit)	1,449 mg/kg (Mouse)	Vapor (Mouse) 781 mg/l, 4 hrs
			Gas (Rat) 3,124 ppm

Note: When no route specific LD50 data is available for an acute toxin, the acute toxicity point estimate was used in the calculation of the products ATE (Acute Toxicity Estimate).

Likely Routes of Exposure:	Mouth, nose, eye and skin.	
SYMPTOMS OF EXPOSURE		
Eye Contact:	Causes serious eye damage.	
Skin Contact:	Causes severe skin burns and eye damage.	
Inhalation:	Harmful if inhaled.	

Harmful if swallowed.

IMMEDIATE, DELAYED, CHRONIC EFFECTS

Carcinogenicity:

Not applicable.

SECTION XII: ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical Name	Algae/Aquatic Plants	Fish	Microtoxicity	Crustacea	
Nonylphenol polyethylene glycol ether		1-10 mg/l, 96 hrs	> 1,000 mg/l, 16 hrs	9.3-21.4 mg/l, 48 hrs	
Hydrochloric Acid		282 mg/l, 96 hrs			
Persistence and Degradability:	Not available.				
Bioaccumulative Potential:	Not available.				
Mobility in Soil:	Not available.				
SECTION XIII: DISPOSAL CONSIDERATION	5				
Disposal of Waste:	Dispose of in accordance with federal, state and local regulations.				
Contaminated Packaging:	Dispose of in accordance with federal, state and local regulations.				
SECTION XIV: TRANSPORT INFORMATION					
DOT:					
UN/ID #:	1760				
Proper Shipping Name:	Compound, Cleaning Liquid, (Hydrochloric Acid Solution).				
Hazard Class:	8				
Packing Group:	II				
SECTION XV: REGULATORY INFORMATION					

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory):

All chemical components in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313:	This product does not contain listed substances above the "de minimus" level.		
SARA 311/312 Hazard Categories:	Hydrochloric Acid 5,000 pounds RQ		
EPCRA 302 Extremely Hazardous:	Hydrochloric Acid		
EPCRA 313 Toxic Chemicals:	Hydrochloric Acid		
Acute Health Hazard:	Yes		
Chronic Health Hazard:	No		
Fire Hazard:	No		
Sudden Release of Pressure Hazard:	No		
Reactive Hazard:	No		

California Proposition 65:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SECTION XVI: OTHER INFORMATION					
Issue Date:	06/01/15	HAZARD	RATINGS:		
Version #:	1	NFPA: HMIS:	Health: 3 Health: 3	Flammability: 0 Flammability: 0	Instability: 0 Physical Hazards: 0
Disclaimer:	RESPONSIBILITY INFORMATION CO SUGGESTIONS A OF THIS INFORM, BE OBTAINED FR	AND EXPRES ONTAINED HEI RE MADE WIT ATION, THE HA OM THE USE	SLY DISCLAIM ANY REIN IS BELIEVED HOUT WARRANTY AZARDS CONNECT	Y LIABILITY FOR ANY USE TO BE TRUE AND ACCUR Y, EXPRESSED OR IMPLIE FED WITH THE USE OF TH IANCE WITH FEDERAL, S	WE DO NOT ASSUME ANY OF THIS MATERIAL. THE ATE BUT ALL STATEMENTS OR D, REGARDING THE ACCURACY IE MATERIAL OR RESULTS TO TATE AND LOCAL LAWS AND