Printing date 22.05.2015

Revision: 22.05.2015

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: Detonators, Electric (Class 1.1B)
- · Article number: 1076
- Other product identifiers: ELECTRIC SUPER™ COAL ELECTRIC SUPER™ LP ELECTRIC SUPER™ SP ELECTRIC SUPER™ STARTER ELECTRIC INSTANT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Explosive product. Commercial blasting applications

1.3 Details of the supplier of the Safety Data Sheet
Manufacturer/Supplier: Dyno Nobel Inc.
2795 East Cottonwood Parkway, Suite 500
Salt Lake City, Utah 84121
Phone: 801-364-4800
Fax: 801-321-6703
E-Mail: dnna.hse@am.dynonobel.com

• **1.4 Emergency telephone number:** CHEMTREC 1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Hazard Statement H410 is not applicable to the OSHA US regulations.

lexploding bomb

Expl. 1.1 H201 Explosive; mass explosion hazard.

#### Classification according to Directive 67/548/EEC or Directive 1999/45/EC

E; Explosive

R2: Risk of explosion by shock, friction, fire or other sources of ignition.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)



OSHA GHS

Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 1)

· Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · Additional information: There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of component(s) of unknown toxicity · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS). The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS01 · Signal word Danger · Hazard-determining components of labelling: pentaerythritol tetranitrate (PETN) diazodinitro phenol (DDNP) Nitrocellulose, colloided, granular lead diazide · Hazard statements H201 Explosive; mass explosion hazard. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P230 Keep wetted. P250 Do not subject to grinding/shock/friction. Wear protective gloves/protective clothing/eye protection/face protection. P280 Ground/bond container and receiving equipment. P240 DO NOT fight fire when fire reaches explosives. P373 P370+P380 In case of fire: Evacuate area. Explosion risk in case of fire. P372 Store in accordance with local/regional/national/international regulations. P401 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH201 Contains lead. Should not be used on surfaces liable to be chewed or sucked by children. · Hazard description: · WHMIS-symbols: Explosive products are not classified under WHMIS. • NFPA ratings (scale 0 - 4) Not available. · HMIS-ratings (scale 0 - 4) Not available (Contd. on page 3)

Printing date 22.05.2015

Revision: 22.05.2015

# Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 2)

13424-46-9	
	ead chromate
	itanium dioxide
7778-74-7 ∣∣ 2 <b>.3 Other ha</b>	potassium perchlorate
of explosives user must rep been develop either kill or in WARNING -	plicable.
all applicable doubts as to or the manuf	e federal, state, and local laws, regulations, or ordinances. If you have any question how to use any explosive product, DO NOT USE IT before consulting with your supervi acturer, if you do not have a supervisor. If your supervisor has any questions or doubts It the manufacturer before use.
all applicable doubts as to or the manuf should consu SECTION 3.2 Mixtures	e federal, state, and local laws, regulations, or ordinances. If you have any question how to use any explosive product, DO NOT USE IT before consulting with your supervi acturer, if you do not have a supervisor. If your supervisor has any questions or doubts
all applicable doubts as to or the manuf should consu SECTION 3.2 Mixtures	<ul> <li>A federal, state, and local laws, regulations, or ordinances. If you have any question how to use any explosive product, DO NOT USE IT before consulting with your supervisacturer, if you do not have a supervisor. If your supervisor has any questions or doubts lt the manufacturer before use.</li> <li>3: Composition/information on ingredients</li> </ul>
all applicable doubts as to or the manuf should consu SECTION 3.2 Mixtures Description: Dangerous of CAS: 13424- EINECS: 236	e federal, state, and local laws, regulations, or ordinances. If you have any question how to use any explosive product, DO NOT USE IT before consulting with your supervise acturer, if you do not have a supervisor. If your supervisor has any questions or doubts at the manufacturer before use.         3: Composition/information on ingredients         Mixture of substances listed below with nonhazardous additions.         components:         46-9
all applicable doubts as to or the manuf should consu SECTION 3.2 Mixtures Description: CAS: 13424- EINECS: 236 Index numbe	e federal, state, and local laws, regulations, or ordinances. If you have any question how to use any explosive product, DO NOT USE IT before consulting with your supervisa acturer, if you do not have a supervisor. If your supervisor has any questions or doubts It the manufacturer before use. <b>3: Composition/information on ingredients</b> Mixture of substances listed below with nonhazardous additions. <b>5: Components:</b> 46-9 -542-1 r: 082-003-00-7 R33 ↓ Unst. Expl., H200 ↓ Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 ↓ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ↓ Acute Tox. 4, H302; Acute Tox. 4, H332 ↓ pentaerythritol tetranitrate (PETN) ↓ 084-3 r: 603-035-00-5 ↓ Unst. Expl., H200

Printing date 22.05.2015

Revision: 22.05.2015

CAS: 10201 10 2	(Contd. of pag
CAS: 10294-40-3 EINECS: 233-660-5	barium chromate
	Xn R20/22
Index number: 056-002-00-7	Carc. 1A, H350 Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 7440-36-0	antimony
EINECS: 231-146-5	substance with a Community workplace exposure limit
CAS: 7440-21-3	silicon
EINECS: 231-130-8	<b>F</b> R11
	🚸 Flam. Sol. 2, H228
CAS: 1314-41-6	orange lead
EINECS: 215-235-6 Index number: 082-001-00-6	I Repr. Cat. 1, 3 R61; I Xn R62-20/22; I NR50/53 R33
	& Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
	Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 7439-92-1	lead
EINECS: 231-100-4	😡 T Repr. Cat. 1 R60-61-48/23/25; 🌄 N R50/53
	& Repr. 1A, H360FD; STOT RE 1, H372
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 7758-97-6	lead chromate
EINECS: 231-846-0 Index number: 082-004-00-2	■ T Carc. Cat. 2, Repr. Cat. 1, 3 R45-61; 🗙 Xn R62; 🌄 N R50/53
Index number. 062-004-00-2	& Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 7782-49-2	selenium
EINECS: 231-957-4	<b>R</b> 23/25
Index number: 034-001-00-2	
	Acute Tox. 3, H301; Acute Tox. 3, H331
	STOT RE 2, H373
0.4.0, 4.0, 4.0, 0.7, 7	Aquatic Chronic 4, H413
CAS: 13463-67-7	titanium dioxide
EINECS: 236-675-5	substance with a Community workplace exposure limit
CAS: 7727-43-7	barium sulphate, natural
EINECS: 231-784-4	substance with a Community workplace exposure limit
CAS: 7440-42-8	boron
EINECS: 231-151-2	
CAS: 7778-74-7	potassium perchlorate
EINECS: 231-912-9	Xn R22; 👩 O R9
Index number: 017-008-00-5	
	Acute Tox. 4, H302
	(Contd. on page



Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

	(Contd. of page 4)
CAS: 4682-03-5	diazodinitro phenol (DDNP)
	🗙 Xi R36/38; 🗙 Xi R43; 🎬 E R3
	🔗 Unst. Expl., H200
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
CAS: 9004-70-0	Nitrocellulose, colloided, granular
EC number: 603-037-0	<b>E</b> R3
	🐼 Expl. 1.1, H201
· SVHC	

13424-46-9 lead diazide

7758-97-6 lead chromate

1314-41-6 orange lead

#### · Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.

## · After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Generally the product does not irritate the skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Unlikely route of exposure.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.
- · Hazards Danger of blast or crush-type injuries.

 • 4.3 Indication of any immediate medical attention and special treatment needed Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

#### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

- Suitable extinguishing agents: DO NOT fight fire when fire reaches explosives.
- For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture

DO NOT ATTEMPT TO FIGHT FIRES INVOLVING EXPLOSIVE MATERIALS. Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire (Contd. on page 6)

Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 5)

conditions. Burning material may produce toxic vapors. It is recommended that users of explosives material be familiar with the Institute of Makers of Explosives Safety Library publications. Explosive: mass explosion hazard.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- · Additional information

Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Mass explosion of multiple devices is possible under certain conditions. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2012 Emergency response Guidebook for further information.

### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective clothing. Ensure adequate ventilation Protect from heat. Isolate area and prevent access. · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. · 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose unusable material as waste according to item 13. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Open and handle receptacle with care. Handle with care. Avoid jolting, friction and impact. Use only in well ventilated areas. Do not subject to grinding/shock/friction. · Information about fire - and explosion protection: Protect from heat. Prevent impact and friction. Emergency cooling must be available in case of nearby fire.

(Contd. on page 7)



Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 6)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store under lock and key and with access restricted to technical experts or their assistants only. Keep away from heat.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients v	vith limit values that require monitoring at the workplace:
13424-46-9 le	ad diazide
PEL (USA)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb; See 29 CFR 1910,1025
REL (USA)	Long-term value: 0,05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
TLV (USA)	Long-term value: 0,05 mg/m³ as Pb; BEI
EL (Canada)	Long-term value: 0,05 mg/m³ as Pb; IARC 2A, R
10294-40-3 b	arium chromate
PEL (USA)	Long-term value: 0,005* mg/m <sup>3</sup> Ceiling limit: 0,1** mg/m <sup>3</sup> *as Cr(VI) **as CrO3; see 29 CFR 1910,1026
REL (USA)	Long-term value: 0,0002 mg/m³ as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Long-term value: 0,01 mg/m³ as Cr
EL (Canada)	Long-term value: 0,01 mg/m³ as Cr; ACGIH A1 IARC 1
7440-36-0 an	timony
PEL (USA)	Long-term value: 0,5 mg/m <sup>3</sup> as Sb
REL (USA)	Long-term value: 0,5 mg/m³ as Sb
TLV (USA)	Long-term value: 0,5 mg/m³ as Sb
<u> </u>	(Contd. on page 8)



Printing date 22.05.2015

Revision: 22.05.2015

EL (Canada)	Long-term value: 0,5 mg/m <sup>3</sup>	(Contd. of page
· · ·	Long-term value: 0,5 mg/m <sup>3</sup>	
7758-97-6 lea		
IOELV (EU)	Long-term value: 2 mg/m <sup>3</sup>	
10221 (20)	as Cr	
PEL (USA)	Long-term value: 0,005* mg/m <sup>3</sup> Ceiling limit: 0,1** mg/m <sup>3</sup>	
REL (USA)	*as Cr(VI) **as CrO3; see 29 CFR 1910,1026 Long-term value: 0,0002 mg/m <sup>3</sup>	
	as Cr; See Pocket Guide Apps. A and C	
TLV (USA)	Long-term value: 0,05* 0,012** mg/m³ *as Pb; BEI ; **as Cr	
EL (Canada)	Long-term value: 0,05* 0,012** mg/m³ ACIGH A2, IARC 2A; R; *as Pb;**as Cr	
EV (Canada)	Long-term value: 0,012* 0,05** mg/m³ *as Cr, **as Pb	
7440-33-7 tu	ngsten	
PEL (USA)	and insoluble compounds, as We	
REL (USA)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> as W	
TLV (USA)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> as W	
EL (Canada)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> as W	
EV (Canada)	Short-term value: 10* 3** mg/m³ Long-term value: 5* 1** mg/m³ (as tungsten; compds.:*water-insol.;**water-sol.	
7440-21-3 sil	icon	
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
		(Contd. on page



Printing date 22.05.2015

Revision: 22.05.2015

# Trade name: Detonators, Electric (Class 1.1B)

404446.000		(Contd. of page
1314-41-6 ora	-	
PEL (USA)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb; See 29 CFR 1910,1025	
REL (USA)	Long-term value: 0,05* mg/m <sup>3</sup> as Pb;*8-hr TWA; See Pocket Guide App. C	
TLV (USA)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb; BEI	
EL (Canada)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb; IARC 2A, R	
EV (Canada)	Long-term value: 0,05 mg/m <sup>3</sup> as Pb, Skin (organic compounds)	
7782-49-2 se		
PEL (USA)	Long-term value: 0,2 mg/m <sup>3</sup> as Se	
REL (USA)	Long-term value: 0,2 mg/m <sup>3</sup> as Se	
TLV (USA)	Long-term value: 0,2 mg/m <sup>3</sup> as Se	
EL (Canada)	Long-term value: 0,1 mg/m <sup>3</sup>	
EV (Canada)	Long-term value: 0,2 mg/m <sup>3</sup>	
13463-67-7 ti	tanium dioxide	
PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC	
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust	
7727-43-7 ba	rium sulphate, natural	
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
TLV (USA)	Long-term value: 5* mg/m³ *inhalable fraction; E	
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust, **respirable fraction	
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust	
• DNELs No fu	ther relevant information available.	(Contd. on page 2



Printing date 22.05.2015

Revision: 22.05.2015

<ul> <li>PNECs No further relevant information available.</li> <li>Ingredients with biological limit values:         <ul> <li>13424-46-9 lead diazide</li> <li>BEI (USA) 30 µg/100 ml</li> <li>Medium: blood</li> <li>Time: not critical</li> <li>Parameter: Lead</li> </ul> </li> <li>10294-40-3 barium chromate</li> </ul>	
13424-46-9 lead diazide         BEI (USA)       30 μg/100 ml         Medium: blood         Time: not critical         Parameter: Lead	
BEI (USA) 30 µg/100 ml Medium: blood Time: not critical Parameter: Lead	
10294-40-3 barium chromate	
BEI (USA) 25 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume) 10 μg/L Medium: urine Time: increase during shift	
Parameter: Total chromium (fume)	
7758-97-6 lead chromate	
BEI (USA) 30 µg/100 ml Medium: blood Time: not critical Parameter: Lead	
10 μg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)	
1314-41-6 orange lead	
BEI (USA) 30 µg/100 ml Medium: blood Time: not critical Parameter: Lead	
<ul> <li>Additional information: The lists valid during the making were used as basis.</li> </ul>	
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.</li> <li>Respiratory protection: Not required under normal conditions of use. Respiratory protection may be required after product use.</li> <li>Protection of hands: Wear gloves for the protection against mechanical hazards according to NIOSH or EN 38</li> </ul>	38.



Printing date 22.05.2015

Material of gloves

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 10)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Face protection

- Body protection: Impervious protective clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- · Risk management measures

Organizational measures should be in place for all activities involving this product.

#### **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Solid material Colour: According to product specification · Odour: Odourless · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: Not Determined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. Auto/Self-ignition temperature: Not determined. · Decomposition temperature: Not determined. · Self-igniting: Product is not self-igniting. Risk of explosion by shock, friction, fire or other sources of · Danger of explosion: ignition. · Explosion limits: Lower: Not determined. (Contd. on page 12)



Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

	(Contd. of page 11)
Upper:	Not determined.
· Vapour pressure:	Not applicable.
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Variable, dependent upon product composition and packaging.
· Partition coefficient (n-octanol/wate	er): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>9.2 Other information</li> </ul>	Not applicable. Not applicable. No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- 10.3 Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- to the second seco

Chlorine compounds Hydrocarbons Toxic metal oxide smoke Danger of forming toxic pyrolysis products.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

7758-97-6 lead chromate

Oral LD50 12000 mg/kg (mouse)

(Contd. on page 13)



Printing date 22.05.2015

Revision: 22.05.2015

(Contd. of page 12)

#### Trade name: Detonators, Electric (Class 1.1B)

7782-49-2 selenium

Oral LD50 6700 mg/kg (rat)

#### · Primary irritant effect:

· on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes. • **Sensitisation:** No sensitising effects known.

• Subacute to chronic toxicity: No further relevant information available.

- Acute effects (acute toxicity, irritation and corrosivity): Danger of blast or crush-type injuries.
- Repeated dose toxicity: No further relevant information available.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Very toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

#### · 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 14)



Printing date 22.05.2015

Revision: 22.05.2015


#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 13)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.





Printing date 22.05.2015

Revision: 22.05.2015

<ul> <li>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> <li>Transport/Additional information:</li> </ul>	of (Contd. of page 14) Not applicable.
· ADR	
Limited quantities (LQ)     Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
<ul> <li>Tunnel restriction code</li> </ul>	(1)
· IATA · UN "Model Regulation":	FORBIDDEN. UN0030, DETONATORS, ELECTRIC, 1.1B, II

# **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  United States (USA)

· SARA

· JAKA	
	o (extremely hazardous substances):
None of the	ingredients are listed.
· Section 313	B (Specific toxic chemical listings):
13424-46-9	lead diazide
10294-40-3	barium chromate
7440-36-0	antimony
7758-97-6	lead chromate
1314-41-6	orange lead
7782-49-2	selenium
7727-43-7	barium sulphate, natural
· TSCA (Toxi	c Substances Control Act):
All ingredien	its are listed.
•	n 65 (California):
· Chemicals	known to cause cancer:
	lead diazide
	barium chromate
	lead chromate
	orange lead
13463-67-7	titanium dioxide
· Chemicals	known to cause reproductive toxicity for females:
10294-40-3	barium chromate
7758-97-6	lead chromate
	(Contd. on page 16)

Printing date 22.05.2015

Revision: 22.05.2015

# Trade name: Detonators, Electric (Class 1.1B)

Chemicals	known to cause reproductive toxicity		Contd. of page
	barium chromate		
7758-97-6	lead chromate		
Chemicals	known to cause developmental toxicit	 ty:	
13424-46-9	lead diazide	-	
10294-40-3	barium chromate		
7758-97-6	lead chromate		
Carcinoge	nic Categories		
EPA (Envir	onmental Protection Agency)		
13424-46-9	lead diazide	B2	
10294-40-3	barium chromate	A(inh), D(oral), K/L(inh	ı), CBD(ora
7758-97-6	lead chromate	К	
1314-41-6	orange lead	B2	
7782-49-2	selenium	D	
7727-43-7	barium sulphate, natural	D, CBD(inh), NL(oral)	
7440-42-8	boron	l (oral)	
7778-74-7	potassium perchlorate	NL	
IARC (Inter	national Agency for Research on Can	cer)	
13424-46-9	lead diazide		
10294-40-3	barium chromate		
7758-97-6	lead chromate		
1314-41-6	orange lead		2
7782-49-2	selenium		3
13463-67-7	titanium dioxide		
TLV (Thres	hold Limit Value established by ACGI	H)	
13424-46-9	lead diazide		/
10294-40-3	barium chromate		1
	lead chromate		/
	orange lead		/
13463-67-7	titanium dioxide		/
NIOSH-Ca	(National Institute for Occupational Sa	ifety and Health)	
10294-40-3	barium chromate		
	lead chromate		
13463-67-7	titanium dioxide		
	Domestic Substances List (DSL) ponents are listed on the NDSL.		
•	edients listed.		
		(C	ontd. on page



Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 16)

#### · Canadian Ingredient Disclosure list (limit 0.1%)

10294-40-3 barium chromate

7758-97-6 lead chromate

7782-49-2 selenium

· Canadian Ingredient Disclosure list (limit 1%)

7440-36-0 antimony

7440-33-7 tungsten

#### · Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

<ul> <li>Substances</li> </ul>	s of very	y high concerr	rn (SVHC) according to REACH, Article 57	
				_

13424-46-9 lead diazide

7758-97-6 lead chromate

1314-41-6 orange lead

#### · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

#### Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

#### · Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H228 Flammable solid.
- H271 May cause fire or explosion; strong oxidiser.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H350 May cause cancer.

(Contd. on page 18)



Printing date 22.05.2015

Revision: 22.05.2015

	(Contd. of page 17)				
H360Df	May damage the unborn child. Suspected of damaging fertility.				
H360FD	May damage fertility. May damage the unborn child.				
H372	Causes damage to organs through prolonged or repeated exposure.				
H373	May cause damage to organs through prolonged or repeated exposure.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
H413	May cause long lasting harmful effects to aquatic life.				
R11	Highly flammable.				
R20/22	Harmful by inhalation and if swallowed.				
R22	Harmful if swallowed.				
R23/25	Toxic by inhalation and if swallowed.				
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.				
R33	Danger of cumulative effects.				
R36/38	Irritating to eyes and skin.				
R43	May cause sensitisation by skin contact.				
R45	May cause cancer.				
R48/23/2	5 Toxic: danger of serious damage to health by prolonged exposure through inhalation and if				
	swallowed.				
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic				
5 = 0	environment.				
R53	May cause long-term adverse effects in the aquatic environment.				
R60	May impair fertility.				
R61	May cause harm to the unborn child.				
R62 R9	Possible risk of impaired fertility.				
КЭ	Explosive when mixed with combustible material.				
	tions and acronyms:				
	rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the				
	I Carriage of Dangerous Goods by Road) national Maritime Code for Dangerous Goods				
	epartment of Transportation				
	ational Air Transport Association				
	Ily Harmonised System of Classification and Labelling of Chemicals erican Conference of Governmental Industrial Hygienists				
	Iropean Inventory of Existing Commercial Chemical Substances				
ELINCS: Eu	ropean List of Notified Chemical Substances				
	CAS: Chemical Abstracts Service (division of the American Chemical Society)				
	NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)				
WHMIS: Wo	orkplace Hazardous Materials Information System (Canada)				
	ved No-Effect Level (REACH)				
	PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent				
LD50: Letha	LD50: Lethal dose, 50 percent				
	Expl. 1.1: Explosives, Division 1.1				
	Unst. Expl.: Explosives, Unstable explosives Flam. Sol. 2: Flammable solids, Hazard Category 2				
	Ox. Sol. 1: Oxidising Solids, Hazard Category 1				
Acute Tox. 3	Acute Tox. 3: Acute toxicity, Hazard Category 3				
	4: Acute toxicity, Hazard Category 4 Skin corrosion/irritation, Hazard Category 2				
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2					
Skin Sens.	1: Sensitisation - Skin, Hazard Category 1				
Carc. 1A: C	arcinogenicity, Hazard Category 1A (Contd. on page 19)				
	(Conta. on page 19)				



Printing date 22.05.2015

Revision: 22.05.2015

#### Trade name: Detonators, Electric (Class 1.1B)

(Contd. of page 18)

Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1A: Reproductive toxicity, Hazard Category 1A Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

