Printing date 22.05.2015

Revision: 22.05.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: Detonators, Electric (Class 1.4S)
- · Article number: 1076
- Other product identifiers: ELECTRIC SUPER™ COAL ELECTRIC SUPER™ LP ELECTRIC SUPER™ SP ELECTRIC SUPER™ STARTER ELECTRIC INSTANT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Explosive product. Commercial blasting applications


1.3 Details of the supplier of the Safety Data Sheet
Manufacturer/Supplier: Dyno Nobel Inc.
2795 East Cottonwood Parkway, Suite 500
Salt Lake City, Utah 84121
Phone: 801-364-4800
Fax: 801-321-6703
E-Mail: dnna.hse@am.dynonobel.com

• **1.4 Emergency telephone number:** CHEMTREC 1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



Expl. 1.4 H204 Fire or projection hazard.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- R5: Heating may cause an explosion.
- Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)



OSHA GHS

Printing date 22.05.2015 Revision: 22.05.2015 Trade name: Detonators, Electric (Class 1.4S) (Contd. of page 1) · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · Additional information: There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of component(s) of unknown toxicity · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS). The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS01 · Signal word Warning · Hazard statements H204 Fire or projection hazard. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P250 Do not subject to grinding/shock/friction. Wear protective gloves/protective clothing/eye protection/face protection. P280 Ground/bond container and receiving equipment. P240 DO NOT fight fire when fire reaches explosives. P373 P370+P380 In case of fire: Evacuate area. P372 Explosion risk in case of fire. P401 Store in accordance with local/regional/national/international regulations. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH201 Contains lead. Should not be used on surfaces liable to be chewed or sucked by children. EUH209 Can become highly flammable in use. · Hazard description: · WHMIS-symbols: Explosive products are not classified under WHMIS. · NFPA ratings (scale 0 - 4) Not available. · HMIS-ratings (scale 0 - 4) Warning: Contains lead salt(s). Long-term health hazard. Not available · HMIS Long Term Health Hazard Substances 13424-46-9 lead diazide 7758-97-6 lead chromate (Contd. on page 3)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 2) 13463-67-7 titanium dioxide 7778-74-7 potassium perchlorate · 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · Explosive Product Notice PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers. WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product. DO NOT USE IT before consulting with your supervisor. or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use. **SECTION 3: Composition/information on ingredients** 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 78-11-5 pentaerythritol tetranitrate (PETN) EINECS: 201-084-3 🜃 E R3 Index number: 603-035-00-5 Unst. Expl., H200 CAS: 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide EINECS: 239-290-0 😡 T Repr. Cat. 1, 3 R61; 🔀 Xn R62-20/22; 🌃 E R3; 🌄 N R50/53 Index number: 609-019-00-4 R33

Mulex number: 609-019-00-4 R33 Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332 (Contd. on page 4)



Printing date 22.05.2015

Revision: 22.05.2015

	(Contd. of page 3)
CAS: 7758-97-6	lead chromate
EINECS: 231-846-0	😡 T Carc. Cat. 2, Repr. Cat. 1, 3 R45-61; 🗙 Xn R62; 🌄 N R50/53
Index number: 082-004-00-2	
	Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 13424-46-9	
EINECS: 236-542-1 Index number: 082-003-00-7	₩ T Repr. Cat. 1, 3 R61; 🗙 Xn R62-20/22; 🎬 E R3; ₩ N R50/53
Index humber: 062-003-00-7	♦ Unst. Expl., H200
	& Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
	Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 7778-74-7	potassium perchlorate
EINECS: 231-912-9	🗙 Xn R22; 🔥 O R9
Index number: 017-008-00-5	
	🔥 Acute Tox. 4, H302
CAS: 7440-36-0	antimony
EINECS: 231-146-5	
CAS: 7440-21-3	silicon
EINECS: 231-130-8	🔥 F R11
	🚸 Flam. Sol. 2, H228
CAS: 7782-49-2	selenium
EINECS: 231-957-4	E T R23/25
Index number: 034-001-00-2	
	Acute Tox. 3, H301; Acute Tox. 3, H331 STOT RE 2, H373
	Aquatic Chronic 4, H413
CAS: 13463-67-7	titanium dioxide
EINECS: 236-675-5	
CAS: 7727-43-7	barium sulphate, natural
EINECS: 231-784-4	substance with a Community workplace exposure limit
CAS: 7440-42-8	boron
EINECS: 231-151-2	
CAS: 4682-03-5	diazodinitro phenol (DDNP)
070.4002-00-0	Xi R36/38; Xi R43; K E R3
	♦ Unst. Expl., H200
	Kin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317
CAS: 9004-70-0	Nitrocellulose, colloided, granular
EC number: 603-037-0	E R3
	🔆 Expl. 1.1, H201
CAS: 7440-33-7	tungsten
EINECS: 231-143-9	substance with a Community workplace exposure limit
	(Contd. on page 5)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

	(Contd. of page 4)
CAS: 10294-40-3	barium chromate
EINECS: 233-660-5	🗙 Xn R20/22
Index number: 056-002-00-7	V Calor n'a lioco
	🚯 Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 1314-41-6	orange lead
EINECS: 215-235-6	😡 T Repr. Cat. 1, 3 R61; 🗙 Xn R62-20/22; 🌄 N R50/53
Index number: 082-001-00-6	R33 —
	Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
	Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 7439-92-1	lead
EINECS: 231-100-4	😡 T Repr. Cat. 1 R60-61-48/23/25; 🌄 N R50/53
	Repr. 1A, H360FD; STOT RE 1, H372
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
· SVHC	
13424-46-9 lead diazide	
7758-97-6 lead chromate	
1314-41-6 orange lead	
. Additional information:	

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Generally the product does not irritate the skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

- After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Blast injury if mishandled.
- · Hazards Danger of blast or crush-type injuries.
- **4.3 Indication of any immediate medical attention and special treatment needed** Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

(Contd. on page 6)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 5)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: DO NOT fight fire when fire reaches explosives.

· For safety reasons unsuitable extinguishing agents: None.

· 5.2 Special hazards arising from the substance or mixture

DO NOT ATTEMPT TO FIGHT FIRES INVOLVING EXPLOSIVE MATERIALS. Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire conditions. Burning material may produce toxic vapors. It is recommended that users of explosives material be familiar with the Institute of Makers of Explosives Safety Library publications.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

· Additional information

Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

Protect from heat.

Evacuate area.

Isolate area and prevent access.

- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles. Dispose unusable material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact. Use only in well ventilated areas. Do not subject to grinding/shock/friction.

(Contd. on page 7)



OSHA GHS

Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 6)

Information about fire - and explosion protection: Protect from heat.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location. Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Keep away from heat.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace: 13424-46-9 lead diazide PEL (USA) Long-term value: 0,05 mg/m³ as Pb; See 29 CFR 1910,1025 REL (USA) Long-term value: 0,05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C TLV (USA) Long-term value: 0,05 mg/m³ as Pb; BEI EL (Canada) Long-term value: 0,05 mg/m³ as Pb; IARC 2A, R 7758-97-6 lead chromate Long-term value: 2 mg/m³ IOELV (EU) as Cr PEL (USA) Long-term value: 0,005* mg/m³ Ceiling limit: 0,1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910,1026 Long-term value: 0,0002 mg/m³ REL (USA) as Cr; See Pocket Guide Apps. A and C TLV (USA) Long-term value: 0,05* 0,012** mg/m3 *as Pb; BEI ; **as Cr Long-term value: 0,05* 0,012** mg/m3 EL (Canada) ACIGH A2, IARC 2A; R; *as Pb;**as Cr Long-term value: 0,012* 0,05** mg/m³ EV (Canada) *as Cr, **as Pb (Contd. on page 8)



Printing date 22.05.2015

Revision: 22.05.2015

7440-33-7 tur	nasten	(Contd. of pag
PEL (USA)	and insoluble compounds, as We	
REL (USA)	Short-term value: 10 mg/m ³	
	Long-term value: 5 mg/m ³	
	as Ŵ	
TLV (USA)	Short-term value: 10 mg/m ³	
	Long-term value: 5 mg/m ³	
EL (Canada)	as W Short-term value: 10 mg/m³	
EL (Canada)	Long-term value: 5 mg/m ³	
	as W	
EV (Canada)	Short-term value: 10* 3** mg/m ³	
	Long-term value: 5* 1** mg/m ³	
7140 04 0 01	(as tungsten; compds.:*water-insol.;**water-sol.	
7440-21-3 sil		
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³	
()	*total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m ³	
	*total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m ³ total dust	
1314-41-6 ora	-	
PEL (USA)	Long-term value: 0,05 mg/m ³ as Pb; See 29 CFR 1910,1025	
REL (USA)	Long-term value: 0,05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C	
TLV (USA)	Long-term value: 0,05 mg/m³ as Pb; BEI	
EL (Canada)	Long-term value: 0,05 mg/m³ as Pb; IARC 2A, R	
EV (Canada)	Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds)	
7782-49-2 se	lenium	
PEL (USA)	Long-term value: 0,2 mg/m ³ as Se	
REL (USA)	Long-term value: 0,2 mg/m³ as Se	
TLV (USA)	Long-term value: 0,2 mg/m ³ as Se	
		(Contd. on pag



Printing date 22.05.2015

Revision: 22.05.2015

		(Contd. of page 8)
EL (Canada	a) Long-term value: 0,1 mg/m ³	
EV (Canada	a) Long-term value: 0,2 mg/m ³	
7727-43-7	parium sulphate, natural	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 5* mg/m³ *inhalable fraction; E	
EL (Canada		
EV (Canada	a) Long-term value: 10 mg/m ³ total dust	
· PNECs No	further relevant information available. further relevant information available.	
	s with biological limit values:	
13424-46-9	lead diazide	
	30 μg/100 ml Medium: blood Time: not critical Parameter: Lead	
7758-97-6	ead chromate	
	30 μg/100 ml Medium: blood Time: not critical Parameter: Lead	
	10 μg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)	
1314-41-6	prange lead	
	30 μg/100 ml Medium: blood Time: not critical Parameter: Lead	
	information: The lists valid during the making were used as basis.	
• General pr The usual p Keep away	re controls rotective equipment: otective and hygienic measures: orecautionary measures are to be adhered to when handling chemicals. from foodstuffs, beverages and feed. s before breaks and at the end of work.	
		(Contd. on page 10



OSHA GHS

Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 9)

· Respiratory protection:

Not required under normal conditions of use.

Respiratory protection may be required after product use.

· Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:

Safety glasses

Face protection

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment No further relevant information available.
- · Risk management measures

Organizational measures should be in place for all activities involving this product.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:
 - Colour:
- · Odour:

· Odour threshold:

- · pH-value:
- · Change in condition Melting point/Melting range: Boiling point/Boiling range:
- · Flash point:

· Self-igniting:

Flammability (solid, gaseous):

· Decomposition temperature:

- Auto/Self-ignition temperature: Not determined.
 - Not determined.

Solid material

Not determined.

Not applicable.

Not Determined.

Undetermined.

Not applicable.

Odourless

According to product specification

Product is not self-igniting.

Fire or projection hazard.

(Contd. on page 11)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 10) · Danger of explosion: Heating may cause an explosion. · Explosion limits: Lower: Not determined. Not determined. Upper: · Vapour pressure: Not applicable. Not determined. · Density: · Relative density Not determined. · Vapour density Not applicable. Not applicable. · Evaporation rate · Solubility in / Miscibility with water: Variable, dependent upon product composition and packaging. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not applicable. Kinematic: Not applicable. 9.2 Other information No further relevant information available. **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- **10.3 Possibility of hazardous reactions** Danger of explosion.
- Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Hydrocarbons Leadoxide vapour Nitrogen oxides Chlorine compounds Danger of forming toxic pyrolysis products. Toxic metal oxide smoke

(Contd. on page 12)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 11)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

7758-97-6 lead chromate

Oral LD50 12000 mg/kg (mouse)

7782-49-2 selenium

Oral LD50 6700 mg/kg (rat)

Primary irritant effect:

- \cdot on the skin:
- Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.
- · on the eye:
- Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes. **Sensitisation:** No sensitising effects known.
- Subacute to chronic toxicity: No further relevant information available.
- · Acute effects (acute toxicity, irritation and corrosivity): Danger of blast or crush-type injuries.
- · Repeated dose toxicity: No further relevant information available.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Very toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

(Contd. on page 13)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 12)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Damaged materials pose a danger to anyone in the immediate area; consult experts for disposal of damaged products.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
 14.1 UN-Number DOT, ADR, IMDG, IATA 14.2 UN proper shipping name DOT, IMDG, IATA ADR 14.3 Transport hazard class(es) 	UN0456 DETONATORS, ELECTRIC 0456 DETONATORS, ELECTRIC	
- DOT		
· Class · Label	1.4 1.4	
· ADR, IMDG, IATA		
1.4		
· Class	1.4	
· Label	1.4S	
 14.4 Packing group DOT, ADR, IMDG, IATA 14.5 Environmental hazards: 	II	
· Marine pollutant:	No	
 14.6 Special precautions for user EMS Number: 	Not applicable. F-A,S-Q	
• 14.7 Transport in bulk according to Annex I	•	
MARPOL73/78 and the IBC Code	Not applicable.	
		(Contd. on page 14)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

	(Contd. of page 13)
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) 	0
 Excepted quantities (EQ) 	Code: E0
	Not permitted as Excepted Quantity
 Tunnel restriction code 	E (2)
·IMDG	
 Limited quantities (LQ) 	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
 UN "Model Regulation": 	UN0456, DETONATORS, ELECTRIC, 1.4S, II
-	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· United States (USA)

· SARA

Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 13424-46-9 lead diazide 10294-40-3 barium chromate 7440-36-0 antimony 7758-97-6 lead chromate 1314-41-6 orange lead 7782-49-2 selenium 7727-43-7 barium sulphate, natural TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 (California): Chemicals known to cause cancer: 1314-41-6 orange lead 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 10294-40-3 barium chromate 1314-41-6 orange lead 10294-40-3 barium chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate	· SAKA			
• Section 313 (Specific toxic chemical listings): 13424-46-9 lead diazide 10294-40-3 barium chromate 7440-36-0 7440-36-0 antimony 7758-97-6 lead chromate 1314-41-6 orange lead 7782-49-2 selenium 7727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate		· Section 355 (extremely hazardous substances):		
13424-46-9 lead diazide 10294-40-3 barium chromate 7440-36-0 antimony 7758-97-6 lead chromate 1314-41-6 orange lead 7782-49-2 selenium 7727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • • Proposition 65 (California): • • Chemicals known to cause cancer: 13424-46-9 1324-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate	None of the	None of the ingredients are listed.		
10294-40-3barium chromate7440-36-0antimony7758-97-6lead chromate1314-41-6orange lead7782-49-2selenium7727-43-7barium sulphate, natural• TSCA (Toxic Substances Control Act):All ingredients are listed.• Proposition 65 (California):• Chemicals known to cause cancer:13424-46-910294-40-3barium chromate7758-97-61244-16orange lead13463-67-7titanium dioxide• Chemicals known to cause reproductive toxicity for females:10294-40-3barium chromate7758-97-6Iead chromate13424-03barium chromate7758-97-6Iead chromate1314-41-6orange lead13463-67-7titanium dioxide• Chemicals known to cause reproductive toxicity for females:10294-40-3barium chromate7758-97-6Iead chromate	· Section 313	B (Specific toxic chemical listings):		
7440-36-0 antimony 7758-97-6 lead chromate 1314-41-6 orange lead 7782-49-2 selenium 7727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate	13424-46-9	lead diazide		
7758-97-6 lead chromate 1314-41-6 orange lead 7782-49-2 selenium 77727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate 7758-97-6 lead chromate 7758-97-6 lead chromate	10294-40-3	barium chromate		
1314-41-6 orange lead 7782-49-2 selenium 7727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate				
7782-49-2 selenium 7727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate	7758-97-6	lead chromate		
7727-43-7 barium sulphate, natural • TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 10294-40-3 barium chromate 7758-97-6 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate	1314-41-6	orange lead		
• TSCA (Toxic Substances Control Act): All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 10294-40-3 barium chromate 7758-97-6 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate	7782-49-2	selenium		
All ingredients are listed. • Proposition 65 (California): • Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate	7727-43-7	barium sulphate, natural		
 Proposition 65 (California): Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 	· TSCA (Toxi	TSCA (Toxic Substances Control Act):		
Chemicals known to cause cancer: 13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate	All ingredien	All ingredients are listed.		
13424-46-9 lead diazide 10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate		· Proposition 65 (California):		
10294-40-3 barium chromate 7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate	· Chemicals	known to cause cancer:		
7758-97-6 lead chromate 1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate	13424-46-9	lead diazide		
1314-41-6 orange lead 13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate	10294-40-3	barium chromate		
13463-67-7 titanium dioxide • Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate				
• Chemicals known to cause reproductive toxicity for females: 10294-40-3 barium chromate 7758-97-6 lead chromate				
10294-40-3 barium chromate 7758-97-6 lead chromate	13463-67-7	titanium dioxide		
7758-97-6 lead chromate	· Chemicals	Chemicals known to cause reproductive toxicity for females:		
	10294-40-3	barium chromate		
(Contd. on page 15)	7758-97-6	lead chromate		
		(Contd. on page 15)		



Printing date 22.05.2015

Revision: 22.05.2015

Chamiaala		•	contd. of page
	known to cause reproductive toxicity f	or males:	
	lead chromate		
	known to cause developmental toxicit	y:	
	e lead diazide		
	barium chromate		
	lead chromate		
-	nic Categories		
•	ronmental Protection Agency)		
	e lead diazide	B2	
	B barium chromate	A(inh), D(oral), K/L(inł	n), CBD(oral
	lead chromate	K	
	orange lead	B2	
7782-49-2	2 selenium	D	
7727-43-7	barium sulphate, natural	D, CBD(inh), NL(oral)	
7440-42-8	boron	l (oral)	
7778-74-7	potassium perchlorate	NL	
· IARC (Inte	rnational Agency for Research on Canc	er)	
13424-46-9	lead diazide		2/
10294-40-3	barium chromate		1
7758-97-6	lead chromate		1
1314-41-6	orange lead		2/
7782-49-2	selenium		3
13463-67-7	titanium dioxide		28
· TLV (Thres	shold Limit Value established by ACGIH	1)	I
-	lead diazide	,	A
10294-40-3	barium chromate		A
7758-97-6	lead chromate		A
	orange lead		A
	/ titanium dioxide		A
· NIOSH-Ca	National Institute for Occupational Saf	ety and Health)	I
	barium chromate	- •	
	lead chromate		
13463-67-7	titanium dioxide		
	ous under WHMIS.		
· Canada			
	Domestic Substances List (DSL)		
	ponents are listed on the NDSL.		
An ingreale	nts are listed.		ontd. on page ?



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 15)

· Canadian Ingredient Disclosure list (limit 0.1%)

10294-40-3 barium chromate

7758-97-6 lead chromate

7782-49-2 selenium

· Canadian Ingredient Disclosure list (limit 1%)

7440-36-0 antimony

7440-33-7 tungsten

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

 Substances of 	very high concern (SVHC) according to REACH, Article 57

13424-46-9 lead diazide

7758-97-6 lead chromate

1314-41-6 orange lead

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

· Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H228 Flammable solid.
- H271 May cause fire or explosion; strong oxidiser.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H350 May cause cancer.

(Contd. on page 17)



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

	(Contd. of page 16)	
H360Df	May damage the unborn child. Suspected of damaging fertility.	
H360FD	May damage fertility. May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
R11	Highly flammable.	
R20/22	Harmful by inhalation and if swallowed.	
R22	Harmful if swallowed.	
R23/25	Toxic by inhalation and if swallowed.	
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.	
R33	Danger of cumulative effects.	
R36/38	Irritating to eyes and skin.	
R43 R45	May cause sensitisation by skin contact.	
	May cause cancer. 5 Toxic: danger of serious damage to health by prolonged exposure through inhalation and if	
1140/20/20	swallowed.	
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
1100,00	environment.	
R53	May cause long-term adverse effects in the aquatic environment.	
R60	May impair fertility.	
R61	May cause harm to the unborn child.	
R62	Possible risk of impaired fertility.	
R9	Explosive when mixed with combustible material.	
· Abbrevia	tions and acronyms:	
ADR: Accor	d européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the	
	Carriage of Dangerous Goods by Road) national Maritime Code for Dangerous Goods	
	partment of Transportation	
IATA: Interna	ational Air Transport Association	
	ly Harmonised System of Classification and Labelling of Chemicals erican Conference of Governmental Industrial Hygienists	
	ropean Inventory of Existing Commercial Chemical Substances	
ELINCS: Eu	ropean List of Notified Chemical Substances	
	cal Abstracts Service (division of the American Chemical Society) nal Fire Protection Association (USA)	
	rdous Materials Identification System (USA)	
WHMIS: Wo	rkplace Hazardous Materials Information System (Canada)	
	ed No-Effect Level (REACH) icted No-Effect Concentration (REACH)	
	I concentration, 50 percent	
LD50: Letha	l dose, 50 percent	
	Expl. 1.1: Explosives, Division 1.1 Expl. 1.4: Explosives, Division 1.4	
	Explosives, Unstable explosives	
	Flammable solids, Hazard Category 2	
	Dxidising Solids, Hazard Category 1 :: Acute toxicity, Hazard Category 3	
Acute Tox. 4	: Acute toxicity, Hazard Category 4	
Skin Irrit. 2:	Skin corrosion/irritation, Hazard Category 2	
	Serious eye damage/eye irritation, Hazard Category 2 : Sensitisation - Skin, Hazard Category 1	
	(Contd. on page 18)	



Printing date 22.05.2015

Revision: 22.05.2015

Trade name: Detonators, Electric (Class 1.4S)

(Contd. of page 17)

Carc. 1A: Carcinogenicity, Hazard Category 1A Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website; www.chemtelinc.com

