

# Primers, Bonders, Sealers, and Paints 1

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of issue: 05/06/2015

Revision date: 05/06/2015

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Acrylic Admix  
Bonding & Fortifier Admix  
Concrete Adhesive  
Kolorstone Kolorflex  
Kolorstone Primer  
Primer Admix

Product code : Not available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Primers, Bonders, Sealers, and Paint

#### 1.3. Details of the supplier of the safety data sheet

Ash Grove Packaging  
10809 Executive Center, Suite 321  
Little Rock, AR 72211 - USA  
T 501-224-3882

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Not classified.

#### 2.2. Label elements

##### GHS-US labelling

No labelling applicable.

#### 2.3. Other hazards

No additional information available.

#### 2.4. Unknown acute toxicity (GHS US)

Acrylic Admix; Kolorstone Kolorflex: 24 percent of the mixture consists of ingredient(s) of unknown acute toxicity.  
Bonding & Fortifier Admix; Kolorstone Primer: 28 percent of the mixture consists of ingredient(s) of unknown acute toxicity.  
Primer Admix: 56 percent of the mixture consists of ingredient(s) of unknown acute toxicity.  
Concrete Adhesive: 57 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable.

#### 3.2. Mixture

| Name         | Product identifier | %     | GHS-US classification                                 |
|--------------|--------------------|-------|---|
| Acetaldehyde | (CAS No) 75-07-0   | < 0.1 | Flam. Liq. 1<br>Eye Irrit. 2A<br>Carc. 2<br>STOT SE 3 |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

# Primers, Bonders, Sealers, and Paints 1

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Treat for surrounding material.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Product does not burn; however its packaging may. Products of combustion may include, and are not limited to: oxides of carbon.

### 5.3. Advice for firefighters

- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2. Methods and material for containment and cleaning up

- For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning up : Scoop up material and place in a disposal container.

### 6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of the reach of children. Keep container tightly closed. Clean up spilled material promptly.

### 7.3. Specific end use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Acetaldehyde (75-07-0) |                                     |                       |
|------------------------|-------------------------------------|-----------------------|
| ACGIH                  | ACGIH Ceiling (ppm)                 | 25 ppm                |
| OSHA                   | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 360 mg/m <sup>3</sup> |
| OSHA                   | OSHA PEL (TWA) (ppm)                | 200 ppm               |

### 8.2. Exposure controls

- Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
- Hand protection : Wear suitable gloves.
- Eye protection : Safety glasses or goggles are recommended when using product.
- Skin and body protection : Wear suitable clothing common to do-it-yourself projects.

# Primers, Bonders, Sealers, and Paints 1

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

|                                 |  |
|---------------------------------|--|
| Respiratory protection          | : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Environmental exposure controls | : Maintain levels below Community environmental protection thresholds.   |
| Other information               | : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.                                       |

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Appearance                                 | : Paste/Resin       |
| Colour                                     | : Varies            |
| Odour                                      | : Varies            |
| Odour threshold                            | : No data available |
| pH   | : No data available |
| Melting point                              | : No data available |
| Freezing point                             | : No data available |
| Boiling point                              | : No data available |
| Flash point                                | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Flammability (solid, gas)                  | : Not flammable     |
| Explosive limits                           | : No data available |
| Explosive properties                       | : No data available |
| Oxidising properties                       | : No data available |
| Vapour pressure                            | : No data available |
| Relative density                           | : No data available |
| Relative vapour density at 20 °C           | : No data available |
| Solubility                                 | : No data available |
| Partition coefficient: n-octanol/water     | : No data available |
| Log Kow                                    | : No data available |
| Auto-ignition temperature                  | : No data available |
| Decomposition temperature                  | : No data available |
| Viscosity                                  | : No data available |
| Viscosity, kinematic                       | : No data available |
| Viscosity, dynamic                         | : No data available |

#### 9.2. Other information

No additional information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

None known.

# Primers, Bonders, Sealers, and Paints 1

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified.

| Primers, Bonders, Sealers, and Paints 1 |                   |
|---|-------------------|
| LD50 oral rat                           | > 2000 mg/kg      |
| LD50 dermal rabbit                      | > 2000 mg/kg      |
| LC50 inhalation rat                     | No data available |

Skin corrosion/irritation : Based on available data, the classification criteria are not met.  
Serious eye damage/irritation : Based on available data, the classification criteria are not met.  
Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.  
Germ cell mutagenicity : Based on available data, the classification criteria are not met.  
Carcinogenicity : Based on available data, the classification criteria are not met.

| Acetaldehyde (75-07-0)                   |  |
|--|--|
| IARC group                               | 1 - Carcinogenic to humans (alcoholic beverages), 2B - Possibly carcinogenic to humans |
| National Toxicology Program (NTP) Status | 3 - Reasonably anticipated to be Human Carcinogen                                      |

Reproductive toxicity : Based on available data, the classification criteria are not met.  
Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.  
Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.  
Aspiration hazard : Based on available data, the classification criteria are not met.  
Symptoms/injuries after inhalation : May cause respiratory tract irritation.  
Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.  
Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.  
Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

#### 12.2. Persistence and degradability

| Primers, Bonders, Sealers, and Paints 1 |                  |
|---|------------------|
| Persistence and degradability           | Not established. |

#### 12.3. Bioaccumulative potential

| Primers, Bonders, Sealers, and Paints 1 |                  |
|---|------------------|
| Bioaccumulative potential               | Not established. |

#### 12.4. Mobility in soil

No additional information available.

#### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT  
Not regulated for transport.

#### Additional information

Other information : No supplementary information available.

# Primers, Bonders, Sealers, and Paints 1

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Special transport precautions : Do not handle until all safety precautions have been read and understood.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

|                             |                  |
|-----------------------------|------------------|
| Trisodium citrate dihydrate | CAS No 6132-04-3 |
|-----------------------------|------------------|

#### Acetaldehyde (75-07-0)

Listed on United States SARA Section 313

|                                       |  |
|---------------------------------------|--|
| EPA TSCA Regulatory Flag              | T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA. |
| SARA Section 313 - Emission Reporting | 0.1 %  |

#### 15.2. US State regulations

##### Primers, Bonders, Sealers, and Paints 1

|                            |  |
|----------------------------|--|
| State or local regulations | This product contains a chemical known to the State of California to cause cancer. |
|----------------------------|--|

### SECTION 16: Other information

Date of issue : 05/06/2015

Other information : None.

*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*