Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 05/11/2015 Revision date: 05/11/2015 Version: 1.0

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: KolorStone Liquid Paks
Product code	: Not available
.2. Relevant identified uses of the	e substance or mixture and uses advised against
Jse of the substance/mixture	: Primers, Bonders, Sealers, and Paints
.3. Details of the supplier of the s	afety data sheet
Ash Grove Packaging 10809 Executive Center, Suite 321 Little Rock, AR 72211 - USA F 501-224-3882	
I.4. Emergency telephone number	r
Emergency number	: CHEMTREC (800) 424-9300
SECTION 2: Hazards identificat	ion
2.1. Classification of the substanc	e or mixture
GHS-US classification AcuteToxicity 4 (Oral) Eye Irritation2A Carcinogenicity 1A Specific Target Organ Toxicity - Repeated	Exposure 1
2.2. Label elements	
GHS-US labelling	
Signal word (GHS-US) Hazard statements (GHS-US)	 GHS07 GHS08 Canger Harmful if swallowed. Causes serious eye irritation. May cause cancer. Causes damage to
idzalu statements (GHS-03)	organs through prolonged or repeated exposure.
Prevention statements (GHS-US)	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and clothing as well as eye and face protection. Do not breathe mist/vapors/spray. Do not eat, drink or smoke when using this product. Keep out of reach of children.
Response statements (GHS-US)	If exposed or concerned: Get medical advice/attention. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
storage statements (GHS-US)	: Store locked up.
Disposal statements (GHS-US)	: Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental Information	: Read and Follow all precautions listed in the Safety Data Sheet available on request or at Ashgrovepkg.com. Additional information on the selection and use of respirators can be found in the NIOSH Respirator Selection Logic (DHHS [NIOSH] Publication No. 2005-100) and the NIOSH Guide to Industrial Respiratory Protection (DHHS [NIOSH] Publication No. 87-116) available at http://www.cdc.gov/niosh/docs/87-116/.
	This product contains greater than 0.1% crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure.
.3. Other hazards	



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

2.4. Unknown acute toxicity (GHS US)

7 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable.

Name	Product identifier	%	GHS-US classification
Ethylene glycol	(CAS No) 107-21-1	≤11.43	Acute Tox. 4 (Oral) Eye Irrit. 2B STOT RE 1
Talc	(CAS No) 14807-96-6	≤11.43	STOT RE 1
Diethylene glycol	(CAS No) 111-46-6	≤8.57	Acute Tox. 4 (Oral)
Kaolin	(CAS No) 1332-58-7	≤2.86	Not classified.
Polyethylene glycol branched nonylphenyl ether	(CAS No) 68412-54-4	≤2.86	Eye Dam. 1
Carbon black	(CAS No) 1333-86-4	≤2.86	Carc. 2 ¹
Limestone	(CAS No) 1317-65-3	≤1.43	Not classified.
.alpha(Dodecylphenyl)omegahydroxy-poly(oxy-1,2- ethanediyl)	(CAS No) 9014-92-0	≤1.43	Eye Irrit. 2A
Manganese oxide (Mn2O3)	(CAS No) 1317-34-6	≤1.43	Skin Irrit. 2 Eye Irrit. 2A STOT SE 3
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-propanamine	(CAS No) 68584-24-7	≤1.43	Acute Tox. 4 (Oral) Skin Irrit. 2 Eye Irrit. 2A
Quartz	(CAS No) 14808-60-7	≤0.3	Carc. 1A ¹ STOT RE 1 ¹
Titanium dioxide	(CAS No) 13463-67-7	≤0.3	Carc. 2 ¹

SECTION 4: First aid measures

4.1.	Description of first aid measures	
First-aid	measures after inhalation :	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid	measures after skin contact :	If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.
First-aid	measures after eye contact :	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid	measures after ingestion :	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2.	Most important symptoms and effects	, both acute and delayed
Sympton	ms/injuries after inhalation :	May cause respiratory tract irritation.
Sympton	ms/injuries after skin contact :	May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Sympton	ms/injuries after eye contact :	Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Sympton	ms/injuries after ingestion :	Harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION	5: Firefighting measures	
5.1. Ex	tinguishing media	
Suitable exti	nguishing media	: Treat for surrounding material.
Unsuitable e	extinguishing media	: None known.
5.2. Sp	pecial hazards arising from the sub	ostance or mixture
Fire hazard		: Product does not burn; however its packaging may. Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Ac	dvice for firefighters	
Protection d	uring firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 6: Accidental	release measu	ires			
6.1. Personal precautions, protective equip		ment and emergency procedures			
General measures :		Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.			
6.2. Methods and materi	al for containment	and cleaning up			
For containment	:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).			
Methods for cleaning up	:	Scoop up material and place in a disp	Scoop up material and place in a disposal container.		
6.3. Reference to other s	ections				
See section 8 for further information	ation on protective o	clothing and equipment and section 13 f	or advice on waste disposal.		
SECTION 7: Handling a					
7.1. Precautions for safe	handling				
Precautions for safe handling		swallow. Handle and open container v	not breathe dust/fume/gas/mist /vapors/spray. Do not vith care. When using do not eat, drink or smoke.		
Hygiene measures		-	reuse. Wash hands before eating, drinking, or smoking.		
		any incompatibilities	antainen tiektu alaand. Olaan uu anillad matarial maanatu		
Storage conditions	:	Reep out of the reach of children. Reep	container tightly closed. Clean up spilled material promptly.		
7.3. Specific end use(s) Not available.					
SECTION 8: Exposure of	ontrole/porcor	nal protection			
8.1. Control parameters	ontrois/persor				
Ethylene glycol (107-21-1)					
ACGIH	ACGIH Ceiling (n	ng/m³)	100 mg/m ³ (aerosol only)		
OSHA	Not applicable				
Talc (14807-96-6)					
ACGIH	ACGIH TWA (mg	/m³)	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)		
OSHA	OSHA PEL (TWA	A) (mppcf)	20 mppcf		
Diethylene glycol (111-46-6)					
ACGIH	Not applicable				
OSHA	Not applicable				
Kaolin (1332-58-7)	1				
ACGIH	ACGIH TWA (mg	/m³)	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)		
OSHA	OSHA PEL (TWA	\) (mg/m³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)		
Polyethylene glycol branche	d nonviphenvi eth	ner (68412-54-4)			
ACGIH	Not applicable				
OSHA	Not applicable				
Carbon black (1333-86-4)					
ACGIH	ACGIH TWA (mg	/m³)	3 mg/m ³ (inhalable fraction)		
OSHA	OSHA PEL (TWA	۸) (mg/m³)	3.5 mg/m ³		
Limestone (1317-65-3)					
ACGIH	ACGIH TWA (mg	/m³)	10 mg/m ³ (total dust)		
OSHA	OSHA PEL (TWA	\) (mg/m³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)		



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

ACGIH	Not applic	Not applicable		
OSHA		Not applicable		
USHA	Νοι αρριο			
Manganese oxide (Mn2	2O3) (1317-34-6)			
ACGIH	Not applic	able		
OSHA	Not applic	able		
Benzenesulfonic acid,	C10-16-alkyl deri	vatives, compounds with 2-propana	mine (68584-24-7)	
ACGIH	Not applic	able		
OSHA	Not applic	able		
Quartz (14808-60-7)				
ACGIH	ACGIH TV	VA (mg/m³)	0.025 mg/m ³ (respirable fraction)	
OSHA	Not applic	able	(10 mg/m ³)/(%SiO ₂ +2) TWA (resp) (30 mg/m ³)/(%SiO ₂ +2) TWA (total) (250)/(%SiO ₂ +5) mppcf TWA (resp)	
Titanium dioxide (1346	3-67-7)		<u>.</u>	
ACGIH	ACGIH TV	VA (mg/m³)	10 mg/m ³	
OSHA	OSHA PE	L (TWA) (mg/m³)	15 mg/m³ (total dust)	
3.2. Exposure cont	rols			
Appropriate engineering c	ontrols	: Use ventilation adequate to ke recommended exposure limits	ep exposures (airborne levels of dust, fume, vapor, etc.) below	
Hand protection		: Wear suitable gloves.	: Wear suitable gloves.	
Eye protection :		: Wear eye protection.	Wear eye protection.	
Skin and body protection :		: Wear suitable clothing commo	Wear suitable clothing common to do-it-yourself projects.	
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory equipment is based on known or anticipated exposure levels, the hazards of the present working limits of the selected respirator.		nticipated exposure levels, the hazards of the product and the		
Environmental exposure c	ontrols	: Maintain levels below Commu	nity environmental protection thresholds.	
Other information	information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefu before eating or smoking. Handle according to established industrial hygiene and safety practic			

9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Appearance	: Paste/Resin
Colour	: Varies
Odour	: Varies
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information	
No additional information available.	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reaction known under conditions of	of normal use.
10.2. Chemical stability	
Stable under normal storage conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reaction known under conditions of	of normal use
5	n honnar use.
10.4. Conditions to avoid	
Heat.	
10.5. Incompatible materials	
None known.	
10.6. Hazardous decomposition products	
None known.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Harmful if swallowed.
•	
KolorStone Liquid Paks	
LD50 oral rat	>300 but ≤2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	Not available
Ethylene glycol (107-21-1)	4700
LD50 oral rat	4700 mg/kg
	9530 µl/kg
Diethylene glycol (111-46-6)	40505
LD50 oral rat	12565 mg/kg 11890 mg/kg
LD50 dermal rabbit	
Polyethylene glycol branched nonylphenyl e	
LD50 oral rat	> 2000 mg/kg
Carbon black (1333-86-4)	
LD50 oral rat	> 15400 mg/kg
LD50 dermal rabbit	> 3 g/kg
Limestone (1317-65-3)	C4E0 malka
LD50 oral rat	6450 mg/kg
Titanium dioxide (13463-67-7)	40000 //
LD50 oral rat	> 10000 mg/kg
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Carcinogenicity	: May cause cancer.
Talc (14807-96-6)	
IARC group	3 - Not classifiable
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 5 - Twelfth Report - Items under consideration
Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans (airborne, unbound particles of respirable size)
Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans (airborne, unbound particles of respirable size)
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens (airborne, unbound particles of respirable size)
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans (airborne, unbound particles of respirable size)
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
KolorStone Liquid Paks	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
KolorStone Liquid Paks	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available.	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal considerations	

SECTION	ON 13: Disposal consideration	S
13.1.	Waste treatment methods	
Waste dis	sposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport inform	nation
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport.	
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory infor	mation
15.1. US Federal regulations	
All serves a serve of this was doned and that	ad an available of form listing, and the United Otates For incompared Distantian America Tavis Calestones

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

OTION



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Trisodium citrate dihydrate	CAS No 6132-04-3
Ethylene glycol (107-21-1)	
Listed on United States SARA Section 313	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
SARA Section 313 - Emission Reporting	1.0 %
Diethylene glycol (111-46-6)	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
15.2. US State regulations	
KolorStone Liquid Paks	
State or local regulations	This product contains chemicals known to the State of California to cause cancer.
SECTION 16: Other information	
Date of issue	: 05/11/2015
Other information	: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

