

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Name: Product Code:	MFA OIL GP HYDRAULIC FA25UN22, FA25UN30, FA25UN55, UTF00007			
	,,,			
1.2. Relevant identified uses of	of the substance or mixture and uses advised against			
Recommended use:	Universal Tractor Fluid			
Recommended restrictions:	Not applicable			
1.3. Details of the supplier of	the safety data sheet			
Manufacturer:	MFA Oil Company			
	One Ray Young Drive			
	Columbia, MO 65201			
Information Phone:	(800) 827-0116			
E-mail:	sds@wd-wpp.com			
1.4. Emergency telephone nu	mber			
Emergency phone number:	CHEMTREC: +1 (800) 424-9300			
	International: +01 (703) 527-3887			
SECTION 2: Hazards ide				

2.1. Classification of the substance or mixture

Hazardous to the aquatic environment - Acute Category 3

2.2. Label elements

classified:

Hazard Statements Precautionary Statements Prevention Disposal	 H402 - Harmful to aquatic life. P273 - Avoid release to the environment. P501- Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3. Other hazards Hazards not otherwise	Avoid prolonged or repeated skin contact with used fluid.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, hydrotreated heavy paraffinic	90 - 99	64742-54-7	Acute Tox. 4; H332
			Acute Tox. 3; H331
Benzene, polypropene derivatives, sulfonated, calcium	0.5 - 1.5	75975-85-8	Eye Irrit. 2; H319
salts			
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S"]-	0.5 - 1.5	4259-15-8	Eye Dam. 1; H318
, (T-4)-			
C14-18 alpha-olefin epoxide, reaction products with boric	0.1 - 1		

acid

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

SECTION 4: First aid measures

Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.		
Eyes	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.		
Skin Contact	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.		
Ingestion	Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	Not determined		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.		

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from	m the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke, Carbon dioxide, Phosgene, Toxic fumes., Toxic gases
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No data available.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM_06GHS_CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special handling instructions due to toxicity.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials. **Incompatible materials**

See Section 10.

7.3. Specific end use(s) Universal Tractor Fluid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Chemical Name	Occupational Exposure Limits	Value	
Oil mist, mineral	OSHA PEL	5 mg/m3	
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3	
Oil mist, mineral	ACGIH STEL	10 mg/m3	
None.	IDLH	0	
None.	OSHA PEL-Skin Notation		
8.2. Exposure controls			
Engineering Measures	Use local exhaust ventilation or other engineering co operator comfort.	ontrols to minimize exposures and maintain	
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.		
Respirator Type (s)	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye Protection	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.		
Skin Protection	Wear protective gloves. Inspect gloves for chemical Clean protective equipment regularly. Wash hands a water before eating, drinking, and when leaving wor	nd other exposed areas with mild soap and	
Gloves	Neoprene, Nitrile		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

· · · · · · · · · · · · · · · · · · ·	r r
Physical State	Liquid
Color	Purple
Odor	Mild
Odor threshold	Not determined
рН	Not determined
Freezing point	Not determined
Boiling Point	Not determined
Flash Point	224
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive	= 10
Limit, % in air	
Lower Flammable/Explosive	= 1
Limit, % in air	
Flammability (solid, gas)	Not applicable
Vapor pressure	< 0.20
Vapor Density	Not determined
Relative Density	0.87
Solubility in Water	Negligible; 0-1%

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Octanol/Water Partition	Not determined		
Coefficient			
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Viscosity(°C)	59.44		
9.2. Other information			
Volatiles, % by weight	0.000000		

CECTION 10. Ctabilit

SECTION 10: Stability and reactivity			
10.1. Reactivity	No data available.		
10.2. Chemical stability	Stable under normal conditions.		
10.3. Possibility of hazardous	Hazardous polymerization will not occur.		
reactions			
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).		
	Contamination. Contact with water (reacts with water).		
10.5. Incompatible materials	Strong oxidizing agents, Moisture		
10.6. Hazardous	Carbon monoxide, Smoke, Carbon dioxide, Phosgene, Toxic fumes., Toxic gases		
decomposition			
products			

SECTION 11: Toxicological information

11.1. Information on toxicological effects **Ingestion Toxicity** No hazard in normal industrial use.Estimated to be 5.0 g/kg. **Skin Contact** This material is likely to be moderately irritating to skin based on animal data.Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. Absorption Likely to be practically non-toxic based on animal data. **Inhalation Toxicity** No hazard in normal industrial use. Likely to be practically non-toxic based on animal data. The material is likely to be moderately irritating to eyes based on animal data. Can cause moderate **Eye Contact** irritation, tearing and reddening, but not likely to permanently injure eye tissue. Sensitization Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer. Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not Carcinogenicity considered a carcinogen by the International Agency for Research on Cancer. No data available to indicate product or any components present at greater than 0.1% may cause **Reproductive and** birth defects. **Developmental Toxicity** Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category. toxicity-Single exposure Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category. toxicity-Repeated exposure Aspiration toxicity Non-hazardous under Aspiration category. **Other information** No data available.

Agents Classified by IARC Monographs

IARC Group 1
IARC Group 2A
IARC Group 2B
IARC Group 2B
IARC Group 2B

National Toxicity Program (NTP) Status

Known Human Carcinogen

Naphthalene

Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradability
Biodegrades slowly.
12.3. Bioaccumulative potential
Bioconcentration may occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.
12.6. Other adverse effects
Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Disposal Methods
Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.
Waste Disposal Code(s)
Waste Description for Spent Product
Spent or discarded material is non-hazardous according to environmental regulations.
Contaminated packaging:
Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description**

SECTION 15: Regulatory information

<u>Chemical Inventories</u> TSCA Status U.S. State Restrictions: WHMIS:	All components of this material ar Not applicable Uncontrolled product according to		v 1
Chemical Name	Regulation	CAS #	%
None.	CERCLA		
Vinyl acetate	SARA 313	108-05-4	0.001-0.01
Naphthalene	SARA 313	91-20-3	0.001-0.01
Toluene	SARA 313	108-88-3	<10ppm
Benzene	SARA 313	71-43-2	<10ppm
ethylbenzene	SARA 313	100-41-4	<10ppm
None.	SARA EHS		
None.	TSCA 12b		
U.S. State Regulations			
Chemical Name	Regulation	CAS #	%
Naphthalene	California Prop 65- Cancer	91-20-3	0.001- 0.01
Benzene	California Prop 65-	71-43-2	<10ppm

Chemical Nar	ne		Regulation	CAS #		%
ethylbenzene		(Cancer California Prop 65- Cancer	100-41-4		<10ppm
Toluene		(California Prop 65- De Foxicity	ev. 108-88-3		<10ppm
Benzene		(California Prop 65- De Foxicity	ev. 71-43-2		<10ppm
None.		(California Prop 65- Reprod -fem			
Benzene		(California Prop 65- Reprod-male	71-43-2		<10ppm
None.			Massachusetts RTK Li	st		
None.			New Jersey RTK List			
None.			Pennsylvania RTK Lis	t		
None.			Rhode Island RTK Lis			
None.		Ν	Minnesota Hazardous			
		S	Substance List			
		HMIS Ratings:		NFPA Rating	<u>(S:</u>	
		Health:	0	Health:	0	
		Fire:	1	Fire:	1	
		Reactivit	ty: 0	Reactivity:	0	
		PPE:	В			
	KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme

SECTION 16: Other information

SECTION 10.			
Revision Date	4/2/2015 12:17:49 AM		
Supersedes:	2/25/2015 4:41:56 PM		
References	ACGIH: American Conference of Governmental Industrial Hygienists		
	AIHA: American Industrial Hygiene Association		
	CFR: Code of Federal Regulations		
	DOT: United States Department of Transportation		
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals		
	HMIS: Hazardous Materials Identification System		
	IARC: International Agency for Research on Cancer		
	IATA: International Air Transportation Association		
	IDLH: Immediately Dangerous to Life or Health		
	IMDG: International Maritime Dangerous Goods		
	NFPA: National Fire Protection Association		
	NIOSH: National Institute for Occupational Safety and Health		
	NTP: National Toxicology Program		
	OSHA: Occupational Safety and Health Administration		
	PEL: Permissible Exposure Limit		
	RTK: Right-to-Know		
	SARA: Superfund Amendments and Reauthorization Act		
	STEL: Short-term Exposure Limit		
	TLV: Threshold limit value		
	TSCA: Toxic Substances Control Act		
	TWA: Time weighted average		
	UN: United Nations		
	WHMIS: Workplace Hazardous Materials Information System		
Disclaimer	This safety data sheet and the information it contains is offered to you in good faith as accurate. We		
	have reviewed any information contained in the data sheet which we have received from outside sources		
	and we believe the information to be correct, but cannot guarantee its accuracy or completeness.		

SECTION 16: Other information

Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.