

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MAG 1 PSF 12/12OZ #813

**Product Code:** MG800813

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Power Steering Fluid Recommended Not applicable

restrictions:

1.3. Details of the supplier of the safety data sheet

Manufacturer: Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

**Information Phone:** +01 (800) 825-1235 +01 (402) 341-9397

**E-mail:** sds@wd-wpp.com

1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Not classified under GHS

#### 2.2. Label elements

2.3. Other hazards

**Hazards not otherwise** Avoid prolonged or repeated skin contact with used fluid.

classified:

**Unknown acute toxicity (GHS-US)** 

#### **SECTION 3: Composition/information on ingredients**

Chemical Name % CAS # GHS Classification
Petroleum distillates, hydrotreated heavy paraffinic 90 - 99 64742-54-7 Acute Tox. 4; H332
Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. **Eyes** None expected to be needed, however, use an eye wash to remove a chemical from your eye

regardless of the level of hazard.

**Skin Contact** Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

**Ingestion** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.

Provide medical care provider with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Not determined

4.3. Indication of any immediate medical attention and special treatment needed

**Note to Doctor** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach

### **SECTION 4: First aid measures**

contents is necessary, use method least likely to cause aspiration.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable and Unsuitable**Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied

to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire and/or Explosion Material may be ignited only if preheated to temperatures above the high flash point, for example in

**Hazards** a fire.

5.3. Advice for firefighters

Fire Fighting Methods and Do not enter fire area without proper protection including self- contained breathing apparatus and

**Protection** full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion** Carbon monoxide, Smoke

**Products** 

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No data available.

### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

No special handling instructions due to toxicity.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

**Incompatible materials** 

See Section 10.

7.3. Specific end use(s)

Power Steering Fluid

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Chemical NameOccupational Exposure LimitsValueOil mist, mineralOSHA PEL5 mg/m3Oil mist, mineralACGIH TLV-TWA5 mg/m3Oil mist, mineralACGIH STEL10 mg/m3

None. IDLH

None. OSHA PEL-Skin Notation

8.2. Exposure controls

**Engineering Measures**Use local exhaust ventilation or other engineering controls to minimize exposures and maintain

operator comfort.

**Respiratory Protection** Respiratory protection may be required to avoid overexposure when handling this product. General

8.2. Exposure controls

or local exhaust ventilation is the preferred means of protection. Use a respirator if general room

ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s)**None required where adequate ventilation is provided. If airborne concentrations are above the

applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

**Eye Protection** No special requirements under normal industrial use.

**Skin Protection** Not normally considered a skin hazard. Where use can result in skin contact, practice good personal

hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and

when leaving work.

Gloves Neoprene, Nitrile

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical StateLiquidColorAmberOdorMild

Odor thresholdNot determinedpHNot determinedFreezing pointNot determinedBoiling PointNot determined

Flash Point 212 Flash Point Method COC

**Evaporation Rate** Not determined **Upper Flammable/Explosive** Not established

Limit, % in air

Lower Flammable/Explosive Not established

Limit, % in air

Flammability (solid, gas) Not applicable

Vapor pressure <0.20

Vapor Density Not determined

**Relative Density** 0.85

**Solubility in Water** Negligible; 0-1% **Octanol/Water Partition** Not determined

Coefficient

Autoignition TemperatureNot determinedDecomposition TemperatureNot determined

Viscosity(°C) 29.6

9.2. Other information

Volatiles, % by weight 0.000000

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** No data available.

**10.2. Chemical stability** Stable under normal conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization will not occur.

**10.4. Conditions to avoid** Temperatures above the high flash point of this combustible material in combination with sparks,

open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

rials

Strong oxidizing agents

10.5. Incompatible materials 10.6. Hazardous

Carbon monoxide, Smoke

decomposition products

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

**Ingestion Toxicity** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

**Skin Contact** Likely to be non-irritating to skin based on animal data. No hazard in normal industrial use.

### **SECTION 11: Toxicological information**

**Absorption** Likely to be practically non-toxic based on animal data.

**Inhalation Toxicity**No hazard in normal industrial use. Likely to be practically non-toxic based on animal data. **Eye Contact**This material is likely to be non-irritating to eyes based on animal data. No hazard in normal

industrial use.

**Sensitization** Non-hazardous under Respiratory Sensitization category. No data available to indicate product or

components may be a skin sensitizer.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic

or genotoxic.

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not

considered a carcinogen by the International Agency for Research on Cancer.

**Reproductive and**No data available to indicate product or any components present at greater than 0.1% may cause

**Developmental Toxicity** birth defects.

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

toxicity-Single exposure

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.

toxicity-Repeated exposure

**Aspiration toxicity** Non-hazardous under Aspiration category.

Other information No data available.

#### **Agents Classified by IARC Monographs**

Arsenic IARC Group 1
Benzene IARC Group 1
Cadmium IARC Group 1
Lead IARC Group 2A
Ethyl acrylate IARC Group 2B
Lead IARC Group 2B

#### **National Toxicity Program (NTP) Status**

Arsenic Known Human Carcinogen
Benzene Known Human Carcinogen
Cadmium Known Human Carcinogen

Lead Reasonably Anticipated To Be A Human Carcinogen

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

### 12.2. Persistence and degradability

Biodegrades slowly.

#### 12.3. Bioaccumulative potential

Bioconcentration may occur.

### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

### 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

Not determined

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal Methods**

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

**Waste Description for Spent Product** 

# **SECTION 13: Disposal considerations**

Spent or discarded material is non-hazardous according to environmental regulations.

### Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

## **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

**Description** 

## **SECTION 15: Regulatory information**

**Chemical Inventories** 

**TSCA Status** All components of this material are on the US TSCA Inventory or are exempt.

**U.S. State Restrictions:** Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria

WHMIS:	Uncontrolled product according to WHMIS classification criteria.			
Chemical Name	Regulation	CAS#	%	
None.	CERCLA			
Toluene	SARA 313	108-88-3	0.001- 0.01	
Ethyl acrylate	SARA 313	140-88-5	0.001-0.01	
Arsenic	SARA 313	7440-38-2	<10ppm	
Lead	SARA 313	7439-92-1	<10ppm	
Benzene	SARA 313	71-43-2	<10ppm	
Cadmium	SARA 313	7440-43-9	<10ppm	
None.	SARA EHS		11	
None.	TSCA 12b			
U.S. State Regulations				
Chemical Name	Regulation	CAS#	%	
Ethyl acrylate	California Prop 65-	140-88-5	0.001- 0.01	
•	Cancer			
Lead	California Prop 65-	7439-92-1	<10ppm	
	Cancer		11	
Danzana	California Prop 65	71 43 2	<10nnm	

<b>U.S. State Regulations</b>			
Chemical Name	Regulation	CAS#	%
Ethyl acrylate	California Prop 65-	140-88-5	0.001- 0.01
	Cancer		
Lead	California Prop 65-	7439-92-1	<10ppm
	Cancer		
Benzene	California Prop 65-	71-43-2	<10ppm
	Cancer		
Cadmium	California Prop 65-	7440-43-9	<10ppm
	Cancer		
Toluene	California Prop 65- Dev.	108-88-3	0.001- 0.01
	Toxicity		
Lead	California Prop 65- Dev.	7439-92-1	<10ppm
	Toxicity		
Benzene	California Prop 65- Dev.	71-43-2	<10ppm
	Toxicity		
Cadmium	California Prop 65- Dev.	7440-43-9	<10ppm
	Toxicity		
Lead	California Prop 65-	7439-92-1	<10ppm
	Reprod -fem		
Lead	California Prop 65-	7439-92-1	<10ppm
	Reprod-male		
Benzene	California Prop 65-	71-43-2	<10ppm
	Reprod-male		
Cadmium	California Prop 65-	7440-43-9	<10ppm
	Reprod-male		
None	Massachusetts RTK List		

Chemical Name Regulation CAS # %

None. Pennsylvania RTK List
None. Rhode Island RTK List
None. Minnesota Hazardous
Substance List

HMIS Ratings: NFPA Ratings:

PPE: B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

### **SECTION 16: Other information**

**Revision Date** 6/8/2015 12:25:08 PM **Supersedes:** 5/30/2015 8:24:50 AM

**References** ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

**UN: United Nations** 

WHMIS: Workplace Hazardous Materials Information System

**Disclaimer** This safety data sheet and the information it contains is offered to you in good faith as accurate. We

have reviewed any information contained in the data sheet which we have received from outside

sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations.

It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No

warranty is made, either expressed or implied.