

Revision date : 2015/02/06 Version: 5.0 Page: 1/9 (30605941/SDS\_GEN\_US/EN)

# 1. Identification

Product identifier used on the label

# MasterProtect H 107 also ENVIROSEAL 7

**Recommended use of the chemical and restriction on use** Recommended use\*: for industrial and professional users

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification Chemical family: No data available.

2

# 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Classification of the product**

Skin Corr./Irrit.

Skin corrosion/irritation

## Label elements

Pictogram:



Revision date : 2015/02/06 Version: 5.0

Page: 2/9 (30605941/SDS\_GEN\_US/EN)

Signal Word: Warning	
Hazard Statement: H315	Causes skin irritation.
Precautionary Stateme	nts (Prevention):
P280	Wear protective gloves.
P264	Wash with plenty of water and soap thoroughly after handling.
Precautionary Stateme	nts (Response):
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash before reuse.

## Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Emergency overview**

WARNING: MAY CAUSE SKIN IRRITATION. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling. Keep container tightly closed.

# 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
2943-75-1	>= 3.0 - < 7.0 %	Triethoxycaprylylsilane
216689-57-5	>= 1.0 - < 5.0 %	Silicic acid, diethoxyoctylsilyl trimethylsilyl ester

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
2943-75-1	>= 5.0 - <= 10.0 %	Triethoxycaprylylsilane
216689-57-5	>= 1.0 - <= 5.0 %	Silicic acid, diethoxyoctylsilyl trimethylsilyl ester
64-17-5	>= 0.1 - <= 1.0 %	Ethanol

# 4. First-Aid Measures

## **Description of first aid measures**

#### General advice:

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

Revision date : 2015/02/06

Version: 5.0

Page: 3/9 (30605941/SDS\_GEN\_US/EN)

## If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

## If on skin:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

## If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

## If swallowed:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

# Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: No applicable information available.

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

## Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

## Advice for fire-fighters

Protective equipment for fire-fighting: Wear a self-contained breathing apparatus.

## Further information:

The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Revision date : 2015/02/06 Version: 5.0 Page: 4/9 (30605941/SDS\_GEN\_US/EN)

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immediately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

#### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed. For large amounts: Pump off product.

## 7. Handling and Storage

## Precautions for safe handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

#### Conditions for safe storage, including any incompatibilities

No applicable information available.

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Protect from temperatures below: 5 °C The packed product must be protected from temperatures below the indicated one. Protect from temperatures below: 40 °F The packed product must be protected from temperatures below the indicated one.

The packed product must be protected from temperatures below the indicate

# 8. Exposure Controls/Personal Protection

Advice on system design:

No applicable information available.

#### Personal protective equipment

#### **Respiratory protection:**

When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators.

#### Hand protection:

Wear chemical resistant protective gloves., Manufacturer's directions for use should be observed because of great diversity of types.

#### Eye protection:

Tightly fitting safety goggles (chemical goggles).

Revision date : 2015/02/06 Version: 5.0

Page: 5/9 (30605941/SDS\_GEN\_US/EN)

**Body protection:** 

Body protection must be chosen based on level of activity and exposure.

## General safety and hygiene measures:

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

# 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value: Freezing point: Boiling point: Sublimation point: Flash point:	liquid product specific opaque 6.5 - 8.0 < 0 °C 97.78 °C	No applicable information available. No applicable information available. A flash point determination is unnecessary due to the high water content.
Flammability: Lower explosion limit: Upper explosion limit: Autoignition: Vapour pressure: Density: Relative density: Vapour density: Partitioning coefficient n- octanol/water (log Pow):	not determined 0.99 g/cm3	No applicable information available. No applicable information available. No data available. The product has not been tested. ( 20 °C) No applicable information available. Heavier than air. No data available.
Thermal decomposition: Viscosity, dynamic: Viscosity, kinematic: Solubility in water: Solubility (quantitative): Solubility (qualitative): Evaporation rate: Other Information:	No decomposition if s prescribed/indicated. No applicable informat If necessary, informat parameters is indicate	No applicable information available. No applicable information available. soluble No applicable information available. ation available. No applicable information available. ion on other physical and chemical

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

Revision date : 2015/02/06 Version: 5.0 Page: 6/9 (30605941/SDS\_GEN\_US/EN)

## Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

## Conditions to avoid

Avoid extreme temperatures. Avoid humidity. Avoid direct contact with water.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents, strong reducing agents

## Hazardous decomposition products

Decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

# **11. Toxicological information**

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Based on available Data, the classification criteria are not met.

<u>Oral</u> No applicable information available.

Inhalation No applicable information available.

<u>Dermal</u> No applicable information available.

<u>Assessment other acute effects</u> No applicable information available.

Irritation / corrosion Assessment of irritating effects: Skin contact causes irritation.

<u>Sensitization</u> Assessment of sensitization: Based on available Data, the classification criteria are not met.

## **Chronic Toxicity/Effects**

Genetic toxicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Carcinogenicity

Revision date : 2015/02/06 Version: 5.0

Page: 7/9 (30605941/SDS\_GEN\_US/EN)

Assessment of carcinogenicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### **Teratogenicity**

Assessment of teratogenicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Other Information

The product has not been tested. The statement has been derived from the properties of the individual components.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

# 12. Ecological Information

## Toxicity

Aquatic toxicity Assessment of aquatic toxicity: The product has not been tested.

## Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> Inherently biodegradable. The insoluble fraction can be removed by mechanical means in suitable waste water treatment plants. The polymer component of the product is poorly biodegradable.

## **Bioaccumulative potential**

Assessment bioaccumulation potential Discharge into the environment must be avoided.

## Mobility in soil

Assessment transport between environmental compartments No data available.

## Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

# 13. Disposal considerations

Waste disposal of substance:

Revision date : 2015/02/06 Version: 5.0

Page: 8/9 (30605941/SDS\_GEN\_US/EN)

Dispose of in accordance with national, state and local regulations. Residues should be disposed of in the same manner as the substance/product. Do not discharge into drains/surface waters/groundwater.

#### **Container disposal:**

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

# **14. Transport Information**

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

# **15. Regulatory Information**

## Federal Regulations

Registration status:ChemicalTSCA, USreleased / listed

Product contains biocidal component(s), which are registered according FIFRA and therefore exempt from TSCA registration requirements.

EPCRA 311/312 (Hazard categories): Not hazardous;

CERCLA RQ	CAS Number	Chemical name
5000 LBS	64-19-7; 108-05-4	Acetic acid; vinyl acetate
1000 LBS	75-07-0; 1336-21- 6	acetaldehyde; Ammonium hydroxide
100 LBS	1330-20-7; 4170- 30-3; 50-00-0; 64- 17-5	Xylene; Crotonaldehyde; Formaldehyde; Ethanol

## State regulations

State RTK	CAS Number	Chemical name
MA, NJ, PA	64-17-5	Ethanol

CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Revision date : 2015/02/06 Version: 5.0

Page: 9/9 (30605941/SDS\_GEN\_US/EN)

NFPA Hazard codes:

Health: 2 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 0 Physical hazard:0

# 16. Other Information

SDS Prepared by: BASF NA Product Regulations

SDS Prepared on: 2015/02/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE. WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET