

Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9109

1. Identification of the Substance / Preparation and of the Company / Undertaking

Product identifier	
Product Name	Napa -20 degree Windshield Washer Fluid
Stock / Part Number	114705 / WWS.MINUS20
Other means of identification	
Synonyms	None
Recommended use of the chemica	I and restrictions on use
Recommended Use	Windshield Wiper Fluid
Uses advised against	No information available
Details of the supplier of the safety	<u>/ data sheet</u>
Supplier Name Supplier Address	South/Win, Ltd 112 Maxfield Rd. Greensboro, NC 27405 US
Supplier Phone Number	Phone: (800) 648-4393 Fax: (336) 398-5680
Emergency Telephone Number	CHEMTREC: (800) 424-9300

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

Page **1** of **15**

 \mathbf{f}




Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9109

GHS Label elements, including precautionary statements

Emergency Overview



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Skin

Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth



Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9109

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.1% of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. Composition / Information on Ingredients

Chemical Name	CAS No	Weight-%	Trade Secret	
Methyl alcohol	67-56-1	30 - 40	*	
*The exact percentage (concentration) of composition has been withheld as a trade secret				

4. First Aid Measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.



	Issuing Date: 1-Jun-2008	8 Revision Date: 27-Mar-2015	SDS Number: 9109	
	Skin Contact	Immediate medical attention is required. Wash off imm plenty of water while removing all contaminated clothes		
	Inhalation	Remove to fresh air. If not breathing, give artificial resp difficult, (trained personnel should) give oxygen.	viration. If breathing is	
	Ingestion	Do NOT induce vomiting. Rinse mouth immediately and Never give anything by mouth to an unconscious perso poison control center immediately.		
	Self-protection of the first aider	Ensure that medical personnel are aware of the materia precautions to protect themselves and prevent spread		
	Most important sympt	oms and effects, both acute and delayed		
Most Important Coughing and/ or wheezing. Difficulty in breathing. Symptoms and Effects				
	Indication of any immediate medical attention and special treatment needed			
	Notes to Physician	Treat symptomatically.		
-{		5. Fire-fighting Measures)—	
-(<u>Suitable Extinguishing M</u> Dry chemical, CO2, water		ight streams.	
-(Dry chemical, CO2, water	ledia spray or regular foam. Use water spray or fog; do not use strai		
-(Dry chemical, CO2, water	Iedia spray or regular foam. Use water spray or fog; do not use strai <u>a media</u> icts have a very low flash point. Use of water spray when fightin from the Chemical		
-(Dry chemical, CO2, water <u>Unsuitable extinguishing</u> CAUTION: All these produ <u>Specific Hazards Arising</u>	Iedia spray or regular foam. Use water spray or fog; do not use strai <u>a media</u> icts have a very low flash point. Use of water spray when fightin from the Chemical		
-(Dry chemical, CO2, water <u>Unsuitable extinguishing</u> CAUTION: All these produ <u>Specific Hazards Arising</u> Some may be transported	Iedia spray or regular foam. Use water spray or fog; do not use strai g media licts have a very low flash point. Use of water spray when fighting from the Chemical hot. Flammable Liquid: I-C		
-(Dry chemical, CO2, water <u>Unsuitable extinguishing</u> CAUTION: All these produ <u>Specific Hazards Arising</u> Some may be transported <u>Uniform Fire Code</u> <u>Hazardous Combustion</u>	Iedia spray or regular foam. Use water spray or fog; do not use strai <u>a media</u> lots have a very low flash point. Use of water spray when fightin from the Chemical hot. Flammable Liquid: I-C Products		
-(Dry chemical, CO2, water Unsuitable extinguishing CAUTION: All these produ Specific Hazards Arising Some may be transported Uniform Fire Code Hazardous Combustion I Carbon oxides. Explosion Data Sensitivity to Mechanica	Iedia spray or regular foam. Use water spray or fog; do not use strai <u>a media</u> lots have a very low flash point. Use of water spray when fightin from the Chemical hot. Flammable Liquid: I-C Products		



Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9109

<u>Protective equipment and precautions for firefighters</u> Move containers from fire area if you can do it without risk.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not breathe vapor or mist. Keep people away from and upwind of spill/leak. See section 8 for more information. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.		
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.		
Environmental Precaution	ons de la constante de la const		
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.		
Methods and material for	r containment and cleaning up		
Methods for Containment A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.			
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		

SOUTH WI	<u>N, LTD.</u> Safety Data Sheet
Issuing Date: 1-Jun-20	08 Revision Date: 27-Mar-2015 SDS Number: 9109
-	7. Handling and Storage
Precautions for safe ha	Indling
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. Use only with adequate ventilation and in closed systems. Use personal protection equipment. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.
Conditions for safe sto	rage, including any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store away from other materials. Store locked up. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
Incompatible Products	None known based on information supplied.
-[8. Exposure Controls / Personal Protection
Control parameters	

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl alcohol	STEL = 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260	STEL: 325 mg/m ³
		mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	
		(vacated) STEL: 325	
		mg/m ³	
		(vacated) S*	
H TLV: American Confere	nce of Governmental Industrial H	vaienists - Threshold Limit Va	alue OSHA PEL: Occupation
	n - Permissible Exposure Limits I		
		minediately Bangereas to En	e el mediti

Other Exposure
GuidelinesVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965
F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

}



Issuing Date: 1-Jun-200	8 Revision Date: 27-Mar-2015	SDS Number: 9109
Appropriate engineering	controls	
Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection me	asures, such as personal protective equipment	
Eye/Face Protection	None required for consumer use. If splashes are likely to occur with side shields (or goggles).	:. Wear safety glasses
Skin and Body Protectio	nNone required for consumer use. Repeated or prolonged conta gloves and protective clothing.	ct:. Wear protective
Respiratory Protection	No protective equipment is needed under normal use condition exceeded or irritation is experienced, ventilation and evacuatio	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety p eat, drink or smoke when using this product. Take off contamin wash before reuse. Avoid contact with skin, eyes or clothing. W gloves and eye/face protection. No information available. Regu equipment, work area and clothing is recommended. Wash har and immediately after handling the product. Do not breathe vap Contaminated work clothing should not be allowed out of the w	ated clothing and Vear suitable Ilar cleaning of nds before breaks por or mist.

9. Physical and Chemical Properties

Physical and Chemical Properties

Appearance Color	Liquid Blue	Odor Odor Threshold	Mild Alcohol No information available
Property	Values	Remarks Method	
bН	8.5	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	86 °C / 187 °F	None known	
Flash Point	29 °C / 85 °F	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
/apor pressure	No data available	None known	
/apor density	No data available	None known	



Issuing Date: 1-Jun-2008	Revision Date:	27-Mar-2015	SDS Number: 9109
Specific Gravity Water Solubility Solubility in other solvents	No data available Miscible in water No data available	None known None known None known	
Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties	No data available No data available No data available No data available No data available No data available No data available	None known None known None known None known None known	
Other Information Softening Point	No data available		
VOC Content (%) Particle Size Particle Size Distribution	No data available No data available		
	10. Stability and R	eactivity)—
Reactivity No data available. Chemical stability Stable under recommended storage cond Possibility of Hazardous Reactions None under normal processing. Hazardous Polymerization Hazardous polymerization does not occu Conditions to avoid Excessive heat. Heat, flames and sparks Incompatible materials None known based on information suppli	r.		
Hazardous Decomposition Products Carbon oxides.			
	1. Toxicological In	formation	
Information on likely routes of exposu Product Information	<u>re</u>		
	Page 8 of	15]	



Issuing Date: 1-Jun-2008	Revision Date: 27-Mar-2015	SDS Number: 9109
Inhalation	Specific test data for the substance or mixture is not available. Toxic (based on components).	by inhalation.
Eye Contact	Specific test data for the substance or mixture is not available.	
	Specific test data for the substance or mixture is not available. Toxic with skin. May be absorbed through the skin in harmful amounts. (ba components).	
Ingestion	Specific test data for the substance or mixture is not available. May swallowed. (based on components).	be harmful if

Component Information

ſ	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
	Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	-	= 83.2 mg/L (Rat)4 h

Information on toxicological effects

Symptoms	Coughing and/ or wheezing. Difficulty in breathing.			
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Sensitization	No information available.			
Mutagenic Effects	No information available.			
Carcinogenicity	Contains no ingredient listed as a carcinogen.			
Reproductive Toxicity	No information available.			
STOT - single exposure	Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. Causes damage to organs if swallowed. Causes damage to organs in contact with skin.			
STOT - repeated exposure	No information available.			
Chronic Toxicity	No known effect based on information supplied. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions.			
	Page 9 of 15			



Issuing Date: 1-Jun-2008

Safety Data Sheet

SDS Number: 9109

Target Organ Effects	Respiratory system. Systemic Toxicity. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Skin.
Aspiration Hazard	No information available.

Revision Date: 27-Mar-2015

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor) 323.00 mg/kg 968.00 mg/kg (ATE) 1.62 mg/l 10.00 ATEmix

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Name Methyl alcohol 67-56-1		96h LC50: = 28200 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 19500 - 20700 mg/L (Oncorhynchus mykiss) 96h LC50: 18 - 20 mL/L (Oncorhynchus mykiss) 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	
		LC50: 13500 - 17600 mg/L (Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Methyl alcohol	-0.77
67-56-1	

Other adverse effects

No information available.

h



Issuing Date: 1-Jun-200)8	Revision Da	te: 27-Mar-2015	SDS Number: 9109
	13. D	isposal Co	onsiderations	
Waste treatment method	ds			
Disposal methods		al, as supplied (40 CFR 261)	d, is a hazardous waste ad).	ccording to federal
Contaminated Packagin	g Dispose of	contents/cont	ainers in accordance with	local regulations.
US EPA Waste Number	D001 U154			
Chemical Name	RCRA RCRA - Ba	sis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol		waste stream:	RCRA - D Series Wastes	U154
67-56-1		039		0154
This product contains one		that are listed	with the State of Californi	
Methyl al			Toxic	S Waste
67-56		Ignitable		
	14.	Transport	Information	<u>}</u>
<u>DOT</u> Proper Shipping Name Hazard Class Description Emergency Response Guide Number	CONSUMER COM ORM-D CONSUMER COM 128		M-D	
TDGUN-No.UN1993Proper Shipping NameFLAMMABLE LIQUID, N.O.S.Hazard Class3Packing GroupIIIDescriptionUN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III				
MEX UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1993 FLAMMABLE LIQU 3 III UN1993 FLAMMAE		N.O.S.(METHYL ALCOHC	DL), 3, III
		- Page 11	. of 15	



UN1993

Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9109

<u>ICAO</u> UN-No.

Proper Shipping Name Hazard Class Packing Group Description	FLAMMABLE LIQUID, N.O.S. 3 III UN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
<u>IATA</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III UN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
IMDG/IMO UN-No. Proper Shipping Name Hazard Class Packing Group EmS-No. Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F-E, S-E UN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III, FP 34C
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 UN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
<u>ADR</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 UN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions Description Hazard Labels	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 274, 601, 640E UN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III 3
	Page 12 of 15



Issuing Date: 1-Ju	า-2008	Revision Date: 27-Mar-2015	SDS Number: 9109
Limited Quantity Ventilation	5 L VE01		
(15. Regulatory Information)— .
International Inventories			
TSCA DSL	Complies All compo	nents are listed either on the DSL or NDSL.	
		ontrol Act Section 8(b) Inventory ces List/Non-Domestic Substances List	

US Federal

Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	67-56-1	30 - 40	1.0

SARA 311/312 Hazard

<u>Categories</u>	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ

Page **13** of **15**

h



Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9109

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Methyl alcohol - 67-56-1	Developmental	

US State Right-to-know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsyl vania	Rhode Island	Illinois
Methyl alcohol 67-56-1	Х	Х	Х	Х	Х

International

Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Methyl alcohol		Mexico: TWA= 200 ppm
67-56-1 (15 - 40)		Mexico: TWA= 260 mg/m ³
		Mexico: STEL= 250 ppm
		Mexico: STEL= 310 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class B2 - Flammable liquid D2A - Very toxic materials D2B - Toxic materials



16. Other Information
Page 14 of 15



Issuing Date: 1-Jun-2008		Revision Date: 27-Mar-2015		SDS Number: 9109	
NFPA	Health Hazards 3	Flammability 3	Instability 0	Physical and Chemical	
HMIS	Health Hazards 3 *	Flammability 3	Physical Hazard 0	Personal Protection X	

Prepared By:

Randy Boitz

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page **15** of **15**