



Safety Data Sheet

Printing date 04/02/2015 Version Number 1.0 Reviewed on 04/02/2015

1 Identification

Product identifier

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

SDS ID Number: 43013

Relevant identified uses of the substance or mixture and uses advised against

Waterproofing.

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA

Grace Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

www.graceconstruction.com

Information department:

CAN: +1-905-683-8561 (24 hours) Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Composition/information on ingredients

Chemical characterization: Mixtures Hazardous components: Not applicable.

3 Hazard(s) identification

Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

GHS label elements Not applicable.

Hazard pictograms Not applicable.

Not applicable.

Additional information: Avoid breathing dust.

(Cont. on page 2)

(Cont. from page 1)

Printing date 04/02/2015 Version Number 1.0 Reviewed on 04/02/2015

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)



Health = 1Flammability = 0Reactivity = 0

4 First-aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

In case of skin contact, clean fingernails and wash skin with soap and water. If residue remains clean with waterless hand-cleaner or abrasive soap. Never use solvents.

If discomfort or irritation persists, consult a physician.

Remove contaminated clothing and wash before reuse.

After eye contact:

Rinse opened eye for several minutes under running water.

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

After swallowing:

Wash out mouth with water

Rinse mouth.

Do not induce vomiting; immediately call for medical help.

Never give anything by mouth to an unconscious person.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Cont. on page 3)

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

(Cont. from page 2)

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Open and handle receptacle with care.

Use all product within 30-60 minutes of mixing to avoid an exothermic reaction (release of heat and fumes) Reaction times may vary depending upon temperature and mixing conditions.

Information about protection against explosions and fires: No special measures required.

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Work/Hygienic Practices:

Use good personal hygiene practices.

Carbon disulfide and other potentially harmful gases, Methanol vapors and fumes may evolve as a result of exothermic reactions ("hot product") when components are mixed. Carbon disulfide may be detected by odor at about 1 ppm, but the ability to smell fatigues (diminishes) rapidly therefore, odor does not serve as a good warning property. If eye or respiratory irritation is present, or if a foul odor is detected, you may be experiencing exposure to Carbon disulfide and other organics. Leave the area immediately and seek fresh air.

Personal protective equipment:

General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Breathing equipments

Wear NIOSH-approved respiratory protection (generally a N-95 dust/mist respirator is appropriate) to prevent employee exposures.

(Cont. on page 4)

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

(Cont. from page 3)

Respiratory protection is not normally required in well-ventilated areas. Indoors, or where ventilation is inadequate, the use of a respirator equipped with an organic vapor cartridge is required. The specific respirator may not adequately protect against exposures during some work conditions (see Section 10 of the SDS). Respiratory protection is not normally required. If a vapor or mist is created, use an approved dust/mist respirator (NIOSH P95).

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

General Information		
Appearance:		
Form:	Viscous liquid	
Color:	Green	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value (\sim) at 20 °C (68 °F):	8	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	> 200 °C (> 392 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
VOC Content (max):	0.11 %	

(Cont. on page 5)

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

		(Cont. from page 4)
Vapor pressure:	Not determined.	
Density: (~)	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water		
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known. **Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Acute toxicity:

Primary irritant effect:

on the skin: No irritating effect expectedon the eye: No irritating effect expected

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
13463-67-7 Titanium dioxide	2B
14808-60-7 Quartz (SiO2)	1
NTP (National Toxicology Program) K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic	
14808-60-7 Quartz (SiO2)	K
	(Cont. on page 6)

USGHS •

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

(Cont. from page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not applicable.
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable.
Packing group DOT, ADR, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport/Additional informati	on: Not classified as a dangerous good for transport by road, rail or air.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 04/02/2015 Version Number 1.0 Reviewed on 04/02/2015

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

DOT Remarks: Not Regulated.

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute)
Health Delayed (chronic)
Flammable
Reactive
No
Pressure
No

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure

	Proprietary Polymer Dispersion - NJ801416024
25213-24-5	vinyl alcohol/vinyl acetate copolymer
8031-18-3	Clay 2

7732-18-5 Water

California Proposition 65

Chemicals known to cause cancer:

Titanium dioxide

Quartz (SiO2)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

67-56-1 Methanol

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

13463-67-7	Titanium	dioxide

14808-60-7 Quartz (SiO2)

(Cont. on page 8)

Safety Data Sheet

Printing date 04/02/2015 Version Number 1.0 Reviewed on 04/02/2015

Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A

Volatile Organic Compounds (VOC) reported per the Emission Standards. 2.1 g/l / 0.02 lb/gl

(Cont. from page 7)

16 Other information

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

Department issuing SDS:

Other Information:

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

Date of preparation / last revision 04/02/2015 / -

The first date of preparation 01/16/2013

Number of revision times and the latest revision date 1.0 / 04/02/2015

USGHS