

#### Revision Date 08-Jun-2015

Version 1

SAFETY DATA SHEET

	1. IDENTIFICATION	
Product identifier		
Product Name	ANAEROBIC FLANGE SEALANT 50ML	
Other means of identification		
Product Code	51531	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Sealant	
Uses advised against	No information available	
Details of the sumpliar of the sefectu	data abaat	
Details of the supplier of the safety		
Manufacturer Address	Distributor ITW Permatex Canada	
10 Columbus Blvd.	35 Brownridge Road, Unit 1	
Hartford, CT 06106 USA	Halton Hills, ON Canada L7G 0C6	
	Telephone: (800) 924-6994	
Company Phone Number	1-87-Permatex	
	(877) 376-2839	
24 Hour Emergency Phone Number		
	International Emergency:	
	00+1+ 813-248-0585	
	Contract Number: MIS0003453	
E-mail address	mail@permatex.com	
	2. HAZARDS IDENTIFICATION	

# **Classification**

# OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

# Label elements

**Emergency Overview** 

Danger



Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

85.617 % of the mixture consists of ingredient(s) of unknown toxicity

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret

POLYURETHANE METHACRYLATE RESIN (MIXTURE)	-	30 - 60	*
POLYGLYCOL DIMETHACRYLATE	25852-47-5	10 - 30	*
TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE	67762-90-7	5 - 10	*
ACRYLIC ACID	79-10-7	1 - 5	*
2-HYDROXYETHYL METHACRYLATE	868-77-9	1 - 5	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*
*The exact percentage (concentration) of composition has been withheld as a trade secret			

The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

# **Description of first aid measures**

General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		

Note to physicians

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None.

Specific hazards arising from the chemical None in particular.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures **Personal precautions** Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. Environmental precautions See Section 12 for additional ecological information. Do not flush into surface water or **Environmental precautions** sanitary sewer system. Methods and material for containment and cleaning up Prevent further leakage or spillage if safe to do so. Methods for containment Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel Methods for cleaning up into suitable containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards 7. HANDLING AND STORAGE Precautions for safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing Advice on safe handling vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Conditions for safe storage, including any incompatibilities **Storage Conditions** Store locked up. Incompatible materials Strong oxidizing agents, Amines, Reactive metals 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m <sup>3</sup> (vacated) S*	TWA: 6 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Showers Eyewash stations Ventilation systems		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear protective gloves and protective clothing.		
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.		

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Gel Purple Mild No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> No information available No information available > 149 °C / >300 °F > 93 °C / > 200 °F	Remarks • Method
Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit:	No information available No information available No information available	
Lower flammability limit: Vapor pressure Vapor density Relative density	No information available <5 mmHg @ 25°C No information available 1.1	
Water solubility Solubility in other solvents Partition coefficient Autoignition temperature	Negligible No information available No information available No information available	
Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	No information available No information available No information available No information available	
Oxidizing properties <u>Other Information</u> Softening point	No information available	
Molecular weight VOC Content (%) Density Bulk density	No information available <2% No information available No information available	

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

Excessive heat.

#### **Incompatible materials**

Strong oxidizing agents, Amines, Reactive metals

#### Hazardous Decomposition Products

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation	Harmful by inhalation.
Eye contact	Risk of serious damage to eyes.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACRYLIC ACID 79-10-7	= 193 mg/kg (Rat)= 33500 µg/kg (Rat)	= 280 μL/kg (Rabbit)= 295 mg/kg (Rabbit)	= 11.1 mg/L (Rat)1 h = 3.6 mg/L (Rat)4 h
2-HYDROXYETHYL METHACRYLATE 868-77-9	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID	-	Group 3	-	-
79-10-7				

IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen

Target Organ EffectsEyes, Respiratory system, Skin.

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	786 mg/kg
ATEmix (dermal)	1674 mg/kg
ATEmix (inhalation-dust/mist)	1.6 mg/l

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

85.808 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACRYLIC ACID	0.17: 96 h Pseudokirchneriella	222: 96 h Brachydanio rerio mg/L	95: 48 h Daphnia magna mg/L
79-10-7	subcapitata mg/L EC50 0.04: 72 h	LC50 semi-static	EC50 270: 24 h Daphnia magna
	Desmodesmus subspicatus mg/L		mg/L LC50 Static
	EC50		
2-HYDROXYETHYL	-	213 - 242: 96 h Pimephales	-
METHACRYLATE		promelas mg/L LC50 flow-through	
868-77-9		227: 96 h Pimephales promelas	
		mg/L LC50	
DIMETHYLBENZYL	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
HYDROPEROXIDE		mg/L LC50 static	
80-15-9			

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient
ACRYLIC ACID 79-10-7	0.38 - 0.46
2-HYDROXYETHYL METHACRYLATE 868-77-9	0.47

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal sho regulations.	uld be in accordance with	applicable regional, nation	al and local laws and
Contaminated packaging	Do not reuse	container.		
US EPA Waste Number	Not applicabl	е		
Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID	-	-	-	U008
79-10-7				
DIMETHYLBENZYL	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable

# **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not Listed.
ENCS	Complies

IECSC	Complies
KECL PICCS	Complies Complies
AICS	Complies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			

# US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	Х	X	Х
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	Х	X	Х
SACCHARIN 81-07-2	Х	X	Х
PROPYLENE GLYCOL 57-55-6	Х	-	Х
J.S. EPA Label Information			

#### EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 08-Jun
----------------------

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet