

# SAFETY DATA SHEET

Issue Date 19-May-2015

SGS MORTAR COLOR 97

Revision Date 19-May-2015

Version 1

SGS Mortar Color 97

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name

SGS Mortar Color 97

Other means of identification Product Code Synonyms

SGS MORTAR COLOR 97 SGS 97

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet		
Supplier Address	Manufacturer Address	
Solomon Colors, Inc.	Solomon Colors, Inc.	
4050 Color Plant Road	4050 Color Plant Road	
Springfield, IL 62702	Springfield, IL 62702	

Compan	y Phone Nu	mber	
24 Hour	Emergency	Phone	Num

800-624-0261 (US & Canada); 217-522-3112 (Outside North America) ber 800-373-7542

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Acute toxicity - Oral	No evidence of adverse effects from available data.
	May cause mechanical irritation, soiling and skin drying. No cases of sensitization in humans have been reported.
	Temporary discomfort to upper respiratory tract may occur due to mechanical irritation when exposures are well above the occupational exposure limit.
	IARC Listed - Group 2B (possibly carcinogenic to humans). Not listed as carcinogenic by NTP, ACGIC, OSHA or in the European Union. There are no known human carcinogenic effects related to the PAH (Polycyclic Aromatic Hydrocarbons) content of Carbon Blacks. Recent research has shown that the PAH content of carbon blacks is not released in the biological fluids and therefore not available for biological activity.

#### Label elements

**Emergency Overview** 

Warning

Hazard statements Suspected of causing cancer

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Powder

Physical state Powder

# Hazards not otherwise classified (HNOC)

# Other Information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Common name	Carbon Black.
Synonyms	SGS 97.

Chemical Name	CAS No.	Weight-%	Trade Secret
Black Iron Oxide	1317-61-9	70-95	*
Carbon Black	1333-86-4	15-30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash with soap and water. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray (fog).

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Cover powder spill with plastic sheet or tarp to minimize spreading. Vacuum or sweep up material and place in a designated labeled waste container.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Black	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4		(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls	
Engineering Controls	Showers Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Powder Powder Black	Odor Odor threshold	Odorless No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	Values>7N/AN/AN/AN/AN/ANo information availableNo information available>140°C/284°F °C572F/300CNo information available	<u>Remarks • Method</u>	

#### Dynamic viscosity Explosive properties Oxidizing properties

#### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

<u>Chemical stability</u> Stable under normal conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

# Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Ingestion	May cause mechanical irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Black Iron Oxide 1317-61-9	> 10000 mg/kg (Rat)	-	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	>3 g/kg (Rabbit)	-

# Information on toxicological effects

#### Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	Did not cause sensitization on laboratory animals.
Germ cell mutagenicity	None known.
Carcinogenicity	Note a hazardous substance or preparation according to the Global Harmonized System (GHS). In 1995 IARC concluded, "There is inadequate evidence in humans for the carcinogenicity of carbon black." Based on rat inhalation studies IARC concluded that there is "sufficient evidence in experimental animals for the carcinogenicity of carbon black." IARC's overall evaluation was that "Carbon black is possibly carcinogenic to humans (Group 2B)." This conclusion was based on IARC's guidelines, which require such a classification if one animal species exhibits carcinogenicity in two or more studies. Lung tumors in rats are the result of exposure under "lung overload" conditions. The development of lung tumors in rats is specific to this species. Mouse and hamster showed no carcinogenicity in similar studies. In 2006 IARC re-affirmed its 1995 classification of carbon black as Group 2B (possibly carcinogenic to humans). Overall, as a result of the detailed epidemiological investigations, no causative link between carbon black exposure and cancer risk in humans has been demonstrated. This view is consistent with the IARC evaluation in 2006. Furthermore, several epidemiological and clinical studies of workers in the carbon black production industries show no evidence of clinically significant adverse health effects due to occupational exposure to carbon black. No dose response relationship was observed in workers exposed to carbon black. Applying the rules of the Globally Harmonized System of Classification and Labeling (GHS, e.g. UN `Purple Book', EU CLP Regulation) the results of repeated dose toxicity and carcinogenicity studies in animals do not lead to classification of Carbon Black for Specific Target Organ Toxicity (Repeated exposure) and carcinogenicity. UN GHS says, that even if adverse effects are seen in animal studies or in-vitro tests, no classification is neeteed if the mechanism or mode of action is not relevant to humans. The European CLP Regulation also mentions, that no classification is indicated if the me
	under mechanism not relevant to humans.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon Black	A3	Group 2B	-	Х
1333-86-4				
IARC (International Age	ency for Research on Cance	er)		
Group 2B - Possibly Card	cinogenic to Humans			
OSHA (Occupational Sa	afety and Health Administra	tion of the US Department of	of Labor)	
X - Present				
Reproductive toxicity	No informatio	on available.		
STOT - single exposure	No informatio	on available.		
STOT - repeated exposu	re No informatio	on available.		
Target Organ Effects	Eyes, Lymph	atic System, Respiratory s	ystem.	

#### Aspiration hazard

No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10387 mg/kg ATEmix (dermal) 40040 mg/kg

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
Γ	Carbon Black	-	-	5600: 24 h Daphnia magna mg/L
	1333-86-4			ÉC50

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Out of the local states Department	
Disposal of wastes Disposal s	should be in accordance with applicable regional, national and local laws and
regulation	s.

# Contaminated packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
<u>ADN</u>	Not regulated

# **15. REGULATORY INFORMATION**

EU - Not defined as a dangerous substance or preparation according to Council Directive 67/548/EEC and its various amendments and adaptations. WHMIS - This material is classified as D2A under the Canadian Worker Hazardous Materials Information System (WHMIS) criteria. OSHA - Classified as hazardous. See 29 CFR 1910.1000, Table Z-1.

### International Inventories

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Carbon Black - 1333-86-4	Carcinogen
	·

### U.S. State Right-to-Know Regulations

nnsylvania	Pennsylvania	Massachusetts	New Jersey	Chemical Name
Х	Х	Х	Х	Carbon Black
Х	X	X	X	Carbon Black 1333-86-4

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Reactivity 0

Flammability 0

Physical hazards 0

19-May-2015

19-May-2015

Physical and Chemical <u>HMIS</u> Properties -Personal protection X Health hazards 0

Issue Date Revision Date Revision Note No information available

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet