

Safety Data Sheet – Sand and Gravel

1. Identification	
Product Identifier: Other Means of Identification:	Sand and Gravel Aggregate, Base Material, Chips, Cleanstone, Concrete Sand, Concrete Stone, Crushed Gravel, Crushed Stone, Gravel, Roadstone.
Recommended Use:	Sand and Gravel aggregate may be used in the manufacture of bricks, mortar, cement, concrete, plasters, paving materials, other construction materials. Sand and Gravel aggregate may be distributed in bags, totes,
Recommended Restrictions:	and bulk shipments. None Known.
Manufacturer/Importer/Supplier/Distribute	or Information
Company: Address: Telephone: Emergency Phone Number:	L & W Quarries 112 W Maple Street; Centerville, IA 52544 641-437-4830 641-437-4830
2. Hazard(s) Identification	
GHS Classification:	Acute Toxicity Oral – Category 4 Carcinogenicity – Category 1A Specific Target Organ Toxicity Repeated Exposure – Category 2
GHS Label Elements:	Skin Corrosion/Irritation – Category 2B Eye Damage/Irritation – Category 2
Signal Word:	Danger
Hazard Statement:	Harmful if swallowed. Causes skin and eye irritation. May cause cancer. May cause damage to organs (lung) through prolonged or repeated exposure.
Precautionary Statement:	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response: Storage:	If exposed or concerned: Get medical advice/attention Restrict or control access to stockpile areas. Engulfment hazard: To prevent burial or suffocation, do not enter a confined space, such as a silo, bulk truck or other storage container or vessel that stores or contains aggregates without an effective procedure for assuring safety.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazards(s) not otherwise classified: Supplemental information:	None known. Respirable Crystalline Silica (RCS) may cause cancer. Sand and Gravel is a naturally occurring mineral complex that contains varying quantities of quartz (crystalline silica). In its natural bulk state, Sand and Gravel is not a known health hazard. Sand and Gravel may be subjected to various natural or mechanical forces that produce small particles (dust)

Mixtures	·	<u>.</u>		
Chemical name	CAS number	%		
Sand and Gravel	None	> 99		
Crystalline Silica (Quartz)	14808-60-7	> 1		
. First-Aid Measures				
Inhalation:	Sand and Gravel dust: Move to fresh air. Call a physician if symptoms develop or persist.			
Skin Contact:	Sand and Gravel dust: Wash off with soap and water. Get medical attention if irritation develops and persists.			
Eye Contact:	Sand and Gravel dust: Immediately flush 15 minutes. Hold eyelids apart. Occasiona thorough rinsing. Beyond flushing, do not from the eye(s). Get medical attention if ir	with plenty of water for at leas ally lift the eyelid(s) to ensure attempt to remove material		
Ingestion:	Sand and Gravel dust: Rinse mouth and c anything by mouth to an unconscious per	drink plenty of water. Never gi		
Most important symptoms/effects:	Inhaling dust may cause discomfort in the chest, shortness of breath, an coughing.			
Acute and Delayed:	Prolonged inhalation may cause chronic h contains crystalline silica. Prolonged or re crystalline silica liberated from this produc cause cancer.	peated inhalation of respirable		
Indication of immediate medical attention				
and special treatment needed:	Provide general supportive measures and victim under observation. Symptoms may			
General Information:	Ensure that medical personnel are aware take precautions to protect themselves. P that may be aggravated by exposure inclu and lung (including asthma and other breat tobacco, smoking will impair the ability of dust.	of the material(s) involved, ar re-existing medical conditions ude disorders of the eye, skin athing disorders). If addicted t		
. Fire-fighting Measures				
Suitable Extinguishing Media:	Sand and Gravel is not flammable. Use fin appropriate for surrounding materials.	re-extinguishing media		
Unsuitable Extinguishing Media: Specific hazards arising from the chemical: Special protective equipment and	None known. No unusual fire or explosion hazards note	ed. Not a combustible dust.		
precautions for firefighters:	Use protective equipment appropriate for	surrounding materials.		
Fire-fighting equipment/instructions: Specific Methods:	No specific precautions. Contact with powerful oxidizing agents ma	ay cause fire and/or explosion		
General Fire Hazards:	(see section 10 of SDS) No unusual fire or explosion hazards note	ed.		
. Accidental Release Measures				
Personal precautions and emergency				
procedures:	Wear appropriate protective equipment an materials that contain or may liberate san			
Methods and materials for containment and cleaning up:	Spilled material, where dust is generated, personnel to respirable crystalline silica-c	may overexpose cleanup ontaining dust. Do not dry		
Environmental Precautions:	sweep or use compressed air for clean-up Avoid discharge of fine particulate matter			

7. Handling and Storage

Handling and Storage:

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid dust formation or accumulation. Avoid dust or accumulation.

Conditions for safe storage:

8. Exposure Controls/Personal Protection

Occupational Exposure Limits:	1 - Value equivalent to OSHA formulas (29 CFR 1910.1000; 29 CFR 1917; 29 CFR 1918)
	2 - Value also applies to MSHA Metal/Non-Metal (1973 TLVs at 30 CFR 56/57.5001).
	3 - OSHA enforces 0.250 mg/m ³ in construction and shipyards (CPL-03-00-007).
	4 - Value also applies to OSHA construction (29 CFR 1926.55 Appendix
	A) and shipyards (29 CFR 1915.1000, Table Z).
	5 - MSHA limit = 10 mg/m³.
U.S. OSHA Table 7.1 Limits for Air Contami	

U.S. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Particulates not otherwise classified	PEL	5 mg/m ³	Respirable fraction
(CAS SEQ250).		15 mg/m ³	Total dust (4)
U.S. OSHA Table Z-3 (29 CFR 1910.1000)			
Components	Туре	Value	Form
Crystalline Silica (Quartz) (CAS 14808-60-7)	TWA	0.3 mg/m ³ 0.1 mg/m ³	Total dust (1,2) Respirable (1,2,3)
Tridymite and Cristobalite (other forms of crystalline silica) (CAS Mixture)	TWA	0.15 mg/m ³ 0.05 mg/m ³	Total dust (1) Respirable (1,2)
Particulates not otherwise classified (CAS SEQ250)	TWA	5 mg/m ³ 15 mg/m ³	Respirable fraction (1) Total dust (1,4,5)
US. ACGIH Threshold Limit Values®			
Components	Туре	Value	Form
Crystalline Silica (all forms; GAS mixture)	TWA	0.025 mg/m ³	Respirable fraction
Particulates not otherwise classified silica) (CAS Mixture)	TWA	3 mg/m ³ 10 mg/m ³	Respirable particles (2) Inhalable particles (2)
US. NIOSH: Pocket Guide to Chemical Hazards			
Components	Туре	Value	Form
Crystalline Silica (all forms; CAS mixture)	TWA	0.05 mg/m ³	Respirable dust

Biological Limit Values: Exposure Guidelines: No biological exposure limits noted for the ingredient(s). OSHA PELs, MSHA PELs, and ACGIH TLVs are 8-hr TWA values. NIOSH RELs are for TWA exposures up to 10-hr/day and 40-hr/wk. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Terms including "Particulates Not Otherwise Classified," "Particulates Not Otherwise Regulated," "Particulates Not Otherwise Specified," and "Inert or Nuisance Dust" are often used interchangeably; however, the user should review each agency's terminology for differences in meanings.

Appropriate Engineering Controls:

Good general ventilation (typically 10 air changes per hour indoors) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: Hand Protection:	Wear safety glasses with side shields (or goggles) Use personal protective equipment as required.
Respiratory Protection:	When handling or performing work with sand and gravel that produces dust or respirable crystalline silica in excess of applicable exposure
	limits, wear a NIOSH-approved respirator that is properly fitted and is in good condition. Respirator must be used in accordance with all applicable workplace regulations.
Thermal Hazards:	Not anticipated. Wear appropriate thermal protective clothing, when necessary.
General Hygiene Considerations:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance:	Granular Mixture – Various Colors
Physical State:	Solid.
Form:	Solid, particles.
Odor:	Not applicable.
Odor Threshold:	Not applicable.
pH:	Not applicable.
Melting Point:	Not applicable.
Boiling Point:	Not applicable.
Flash Point:	Non-combustible.
Evaporation Rate:	Not applicable.
Upper & Lower Flammability:	Not applicable
Vapor Pressure:	Not applicable.
Vapor Density:	Not applicable.
Solubility (water):	Not applicable.
Auto Ignition Temperature:	Not applicable.
Viscosity:	Not applicable.
10 Stability and Basativity	
10. Stability and Reactivity	
Reactivity:	The product is stable and on-reactive under normal conditions of use,

Chemical Stability: Possibility of Hazardous Reactions: The product is stable and on-reactive under normal conditions of use, storage, and transport. Material is stable under normal conditions. No dangerous reaction known under conditions of normal use.

11. Toxicological Information

Information on Likely Routes of Exposure	
Inhalation:	Repeated inhalation of respirable crystalline silica (quartz) may cause silicosis, a fibrosis (scarring) of the lungs. Silicosis is irreversible and
	may be fatal. Silicosis increases the risk of contracting pulmonary tuberculosis. Some studies suggest that repeated inhalation of respirable crystalline silica may cause other adverse health effects including lung and kidney cancer.
Skin Contact:	Sand and Gravel dust: May cause irritation through mechanical abrasion.

Eye Contact:	Sand and Gravel dust: May cause irritation through mechanical abrasion.
Ingestion:	Not likely, due to the form of the product. However, accidental ingestion of the content may cause discomfort.
Physical, Chemical, and Toxicological Characteristics:	Sand and Gravel: Discomfort in the chest. Shortness of breath. Coughing.
Information on Toxicological Effects	
Acute Toxicity:	Not expected to be acutely toxic.
Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation:	This product is not expected to be a skin hazard. Direct contact with eyes may cause temporary irritation.
Respiratory Sensitization:	None known.
Skin Sensitization:	Not known to be a dermal irritant or sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at
Carcinogenicity	greater than 0.1% are mutagenic or genotoxic. Respirable crystalline silica has been classified by IARC and NTP as a known human carcinogen, and classified by ACGIH as a suspected human carcinogen.
IARC Monographs. Overall Evaluation of C Crystalline Silica (Quartz) (CAS 14808-60- Respirable Tridymite and Cristobalite (Other forms of Crystalline) (CAS Mixture) NTP Report on Carcinogens	 arcinogenicity 7) 1 Carcinogenic to humans. 1 Carcinogenic to humans.
Crystalline Silica (Quartz) (CAS 14808-60- OSHA Specifically Regulated Substances (Not Listed.	
Reproductive Toxicity:	Not expected to be a reproductive hazard. Not classified.
Specific Target Organ Toxicity Single Exposure:	Not Classified.
Specific Target Organ Toxicity	
Repeated Exposure:	Respirable crystalline silica: May cause damage to organs (lung) throug
Aspiration Hazard: Chronic Effects:	prolonged or repeated exposure. Due to the physical form of the product it is not an aspiration hazard. Prolonged inhalation of respirable crystalline silica may be harmful. May cause damage to organs (lungs) through prolonged or repeated exposure. There are reports in the literature suggesting that excessive crystalline silica exposure may be associated with autoimmune disorde and other adverse health effects involving the kidney. In particular, the incidence of scleroderma (thickening of the skin caused by swelling and thickening of fibrous tissue) appears to be higher in silicotic individuals. To date, the evidence does not conclusively determine a causal relationship between silica exposure and these adverse health effects.
2. Ecological Information	
cotoxicity:	Not expected to be harmful to aquatic organisms. Discharging sand and gravel dust and fines into waters may increase total suspended particulate (TSP) levels that can be harmful to certain aquatic organism
Persistence and Degradability:	Not applicable.
ioaccumulative Potential: Iobility in Soil:	Not applicable. Not applicable.
other Adverse Effects:	No other adverse effects are expected from this component.
3. Disposal Considerations	
3. Disposal Considerations Disposal Instructions:	Do not allow fine particulate matter to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with fine particulates. Dispose contents in accordance with local/regional/national regulations. Not regulated.

Waste from Residues/Unused Products:

Contaminated Packaging:

Dispose of in accordance with local regulations. Empty containers or lines may retain some product residues. This material and its containers must be disposed of in a safe manner. (See Disposal Instructions). Since emptied containers may retain product residue, follow label

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty packaging materials should be recycled or disposed of in accordance with applicable regulations and practices.

14. Transport Information DOT: Not regulated as dangerous goods. IATA: Not regulated as dangerous goods. IMDG: Not regulated as dangerous goods. Transport in bulk according to Annex II Of MARPOL 73/78 and the IBC Code: Not applicable. 15. Regulatory Information This product is a "Hazardous Chemical" as defined by the OSHA Hazard **US Federal Regulations:** Communication Standard, 29 CFR 1910.1200. TCSA Section 12(b) Export Notification (40 CFR 707, Subpart D): Not Regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not Listed. CERCLA Hazardous Substance List (40 CFR 302.4): Not Listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - No **Delaved Hazard - Yes** Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely Hazardous Substance: Not Listed. SARA 311/312 Hazardous Chemical: Yes. SARA 313 (TRI reporting): Not Regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not Regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated. Safe Drinking Water Act (SDWA): Not Regulated US state regulations **US. Massachusetts RTK - Substance List** Crystalline Silica (Quartz) (CAS 14808-60-7) Respirable Tridymite and Cristobalite (other forms of crystalline silica) (CAS Mixture) US. New Jersey Worker and Community Right-to-Know Act Crystalline Silica (Quartz) (CAS 14808-60-7) Respirable Tridymite and Cristobalite (other forms of crystalline silica) (CAS Mixture) US. Pennsylvania Worker and Community Right-to-Know Law Crystalline Silica (Quartz) (CAS 14808-60-7) Respirable Tridymite and Gristobalite (other forms of crystalline silica) (GAS Mixture) **US. Rhode Island RTK** Not regulated. US. California Proposition 65 WARNING: This product contains a chemical known to the State of California to cause cancer. US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Crystalline Silica (Quartz) (GAS 14808-60-7) **International Inventories** Country(s) or region Inventory name On Inventory (yes/no)* United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information, Including Date of Preparation or Last Revision

Issue Date:
Revision Date:
Version Date:

05/29/2015 05/29/2015 05/29/2015

Hazardous Material Information System (HMIS):	Health	0	
	Flammability	0	
	Physical Hazard	0	
	Personal Protection		

NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme Protective Equipment: Safety glasses, gloves

Disclaimer:

This SDS provides information on various types of sand and gravel. The information provided herein is believed L & W Quarries to be accurate at the time of preparation or prepared from sources believed to be reliable. Health and safety precautions in this data sheet may not be adequate for all individuals or situations. Users have the responsibility to comply will all laws and procedures applicable to the safe handling and use of the products, to determine the suitability of the product for its intended use, and to understand possible hazards associated with using sand and gravel.

L & W QUARRIES MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MECHANTABILITY OR FITNESS THERFOREFOR ANY PURPOSE OR CONCERNING THE ACCURACY OF INFORMATION PROVIDED.