# SAFETY DATA SHEET **PROSOCO**, Inc.



Issue Date 25-Nov-2014

Revision Date 25-Nov-2014

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product identifier **Product Name**

Sure Klean® **Burnished Custom Masonry Cleaner** 

Other means of identification	
Product Code	35003
UN/ID No	UN1760

Recommended use of the chemical and restrictions on use Restricted to professional users. **Recommended Use** No information available Uses advised against

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number 8:00 AM - 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200

800-535-5053

## 2. HAZARDS IDENTIFICATION

#### Classification


Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

## Label elements

Danger

**Emergency Overview** 

Hazard statements Toxic if inhaled Causes severe skin burns and eye damage



## **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Other Information

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Phosphoric Acid	7664-38-2	10 - 30	*
Gluconic Acid	526-95-4	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

**General advice** 

Immediate medical attention is required.

## 35003 Sure Klean® Burnished Custom Masonry Cleaner

Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Skin Contact	Wash off immediately with plenty of water while removing contaminated clothing and shoes. Call a physician.	
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	Toxic by inhalation. The product causes burns of eyes, skin and mucous membranes.	
Indication of any immediate medica	mediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.	

## **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. The product causes irritation of eyes, skin and mucous membranes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautionsEvacuate personnel to safe areas. Use personal protective equipment as required. Avoid<br/>contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces wit water.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilatio wear suitable respiratory equipment.	
Conditions for safe storage, inc	cluding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep out of the reach of children.	
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents. Reducing agent.	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
		(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering Controls** Showers. Eyewash stations. Ventilation systems. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep **General Hygiene Considerations** away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection. 9. PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties **Physical state** Liquid Appearance clear Slight Odor Color colorless Odor threshold No information available Property Values Remarks • Method @ 1:3 Dilution pН 1.33 -11 °C / 12 °F Melting point/freezing point **Boiling point/boiling range** No information available Flash point Not Applicable **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limits in Air Upper flammability limits No information available Lower flammability limit No information available Vapor pressure No information available Vapor density No information available **Specific Gravity** 1.129 Water solubility completely soluble No information available Solubility in other solvents No information available Partition coefficient Autoignition temperature No information available **Decomposition temperature** No information available Kinematic viscosity No information available

## **10. STABILITY AND REACTIVITY**

Reactivity No data available

**Dynamic viscosity** 

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

<u>Conditions to avoid</u> Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Reducing agent.

No information available

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Toxic by inhalation Causes serious eye irritation Causes skin irritation	
Inhalation	Avoid breathing vapors or mists. Toxic by inhalation.	
Eye contact	Avoid contact with eyes. Causes serious eye damage.	
Skin Contact	Avoid contact with skin. Causes burns.	
Ingestion	Do not taste or swallow. Harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts.	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m³(Rat)1 h
Gluconic Acid 526-95-4	= 7630 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms

Harmful by inhalation and if swallowed. The product causes burns of eyes, skin and mucous membranes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	No information available. No information available. No information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Target Organ Effects Aspiration hazard	Eyes, Respiratory system, Skin. No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity	
The following values are calculated	based on chapter 3.1 of the GHS document .
ATEmix (oral)	7002 mg/kg
ATEmix (dermal)	12815 mg/kg mg/l
ATEmix (inhalation-dust/mist)	1 mg/l

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity

## 35003 Sure Klean® Burnished Custom Masonry Cleaner

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Phosphoric Acid 7664-38-2	-	3 - 3.5: 96 h Gambusia affinis mg/L LC50	-	4.6: 12 h Daphnia magna mg/L EC50
Persistence and degrada No information available.	ability			
Bioaccumulation No information available.				
Other adverse effects	No information	on available		
13. DISPOSAL CONSIDERATIONS				
Waste treatment method	ls			
Disposal of wastes	al of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.			
Contaminated packaging	g Do not reuse	container.		
US EPA Waste Number	D002			

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

DOT	Regulate
UN/ID No	UN1760
Proper shipping name	Corrosive
Hazard Class	8
Packing Group	II

egulated N1760 orrosive liquid, n.o.s. (Phosphoric and Gluconic Acid)

## **15. REGULATORY INFORMATION**

## International Inventories TSCA DSL/NDSL

Complies Complies

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

				Substances
Phosphoric Acid 7664-38-2	5000 lb	-	-	Х

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid	Х	X	Х
7664-38-2			

#### **16. OTHER INFORMATION** Health hazards 3 Flammability 0 Instability 0 Physical and Chemical NFPA **Properties** -HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X **Prepared By Regulatory Department** Issue Date 25-Nov-2014 **Revision Date** 25-Nov-2014 **Revision Note** No information available

**Disclaimer** 

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet