# SAFETY DATA SHEET PROSOCO, Inc.

Issue Date 02-Sep-2014

Revision Date 02-Sep-2014

Version 1

PROSOCO

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Sure Klean® Vana Trol®

Other means of identification Product Code UN/ID No

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstNo information available

10030

UN1760

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

## 2. HAZARDS IDENTIFICATION

## **Classification**

Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

## Label elements

Danger

**Emergency Overview** 

**Hazard statements** Fatal if inhaled Causes severe skin burns and eye damage

## 10030 Sure Klean® Vana Trol®



Physical state Liquid

Odor Pungent

## **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear respiratory protection Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Other Information

· May be harmful if swallowed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Hydrogen Chloride	7647-01-0	10 - 30	*
Glycolic Acid	79-14-1	1 - 5	*
Citric acid	77-92-9	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

First aid measures

General advice	Immediate medical attention is required.	
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Skin Contact	Immediate medical attention is required. Wash off immediately with plenty of water while removing contaminated clothing and shoes.	
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Call a physician or poison control center immediately. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effect	ts, both acute and delayed	
Symptoms	The product causes burns of eyes, skin and mucous membranes. Harmful if inhaled. Harmful if swallowed.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

 Environmental precautions
 Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Dam up. Prevent product from entering drains. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

## Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and **Storage Conditions** well-ventilated place. Keep in properly labeled containers. Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

Incompatible materials

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Chloride	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Showers. Eyewash stations. Ventilation systems. Application equipment, scaffolding, swing **Engineering Controls** stages and support systems must be constructed of acid resistant materials. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

**Physical state** Appearance Color Property bΗ Melting point/freezing point **Boiling point/boiling range** Flash point **Evaporation** rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower flammability limit Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature Kinematic viscosity Dynamic viscosity** 

Liquid clear amber

<u>Values</u> 0.3 -30 °C / -22 °F No information available

No information available No information available

No information available No information available No information available No information available 1.11 completely soluble No information available Odor Odor threshold Pungent No information available

Remarks • Method @ 1:6 Dilution

Not Applicable

## **10. STABILITY AND REACTIVITY**

## Reactivity

No data available

## Chemical stability

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## Conditions to avoid

Exposure to air or moisture over prolonged periods. Strong bases.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Corrosive Harmful by inhalation, in contact with skin and if swallowed	
Inhalation	Avoid breathing vapors or mists. Harmful by inhalation.	
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.	
Skin Contact	Corrosive. Contact causes severe skin irritation and possible burns.	
Ingestion	Harmful if swallowed. Can burn mouth, throat, and stomach.	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Hydrogen Chloride 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat)1 h
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)	-	= 7.7 mg/L (Rat)4 h
Citric acid 77-92-9	= 3000 mg/kg (Rat)	-	-

## Information on toxicological effects

Symptoms The product causes burns of eyes, skin and mucous membranes. Harmful by inhalation and if swallowed.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
	No information available.
Germ cell mutagenicity	
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA,
	IARC or NTP.
ACGIH (American Conference of Go A2 - Suspected Human Carcinogen	overnmental Industrial Hygienists)
IARC (International Agency for Res	parch on Cancer)
Group 1 - Carcinogenic to Humans	
NTP (National Toxicology Program)	
Known - Known Carcinogen	
3	alth Administration of the US Department of Labor)
X - Present	
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw
	necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are
	common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.
	Possible risk of irreversible effects.
Target Organ Effects	Eyes, Respiratory system, Skin.
Aspiration hazard	Risk of serious damage to the lungs (by aspiration).
	······································
Numerical measures of toxicity - P	roduct Information
Itamendar meddared or toxicity - 1	
Unknown Acute Toxicity	

Olikilowil Acule Toxicity			
The following values are calculated	The following values are calculated based on chapter 3.1 of the GHS document .		
ATEmix (oral)	3523 mg/kg		
ATEmix (dermal)	28180 mg/kg		
ATEmix (inhalation-gas)	8786 mg/l		
ATEmix (inhalation-dust/mist)	0.3 mg/l		

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Chloride 7647-01-0	-	282: 96 h Gambusia affinis mg/L LC50 static	-	-
Glycolic Acid 79-14-1	-	5000: 96 h Brachydanio rerio mg/L LC50 static	-	-
Citric acid 77-92-9	-	1516: 96 h Lepomis macrochirus mg/L LC50 static	-	120: 72 h Daphnia magna mg/L EC50

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Glycolic Acid 79-14-1	-1.11
Citric acid 77-92-9	-1.72

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

DOT UN/ID No	Regulated UN1760
Proper shipping name	Corrosive liquid, n.o.s. (Hydrochloric and Hydroxyacetic Acid)
Hazard Class	8
Packing Group	II

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	
DSL/NDSL	
Logond	

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies Complies

## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrogen Chloride - 7647-01-0	7647-01-0	10 - 30	1.0
SARA 311/312 Hazard Categories	-		
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Chloride 7647-01-0	5000 lb	-	-	Х

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Sulfuric Acid - 7664-93-9	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen Chloride 7647-01-0	Х	X	Х
Sulfuric Acid 7664-93-9	Х	X	Х

16. OTHER INFORMATION					
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -	
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X	
Prepared ByRegulatory DepartmentIssue Date02-Sep-2014Revision Date02-Sep-2014Revision NoteVoltageNo information availableVoltage					
Disclaimer The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely					

arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet