



Safety Data Sheet

Issue Date: 20-Apr-2012

Revision Date: 30-Dec-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Coastal SAE 50 Synthetic Heavy Duty Manual Transmission Fluid

Other means of identification

SDS # WUI-024

Recommended use of the chemical and restrictions on use

Recommended Use Automatic transmission fluid

Details of the supplier of the safety data sheet

Supplier Address

Warren Oil Company
915 E. Jefferson Ave.
West Memphis, AR 72301

Emergency Telephone Number

Company Phone Number 1-800-428-9284
Emergency Telephone (24 hr) CHEMTREC 1-800-424-9300 (North America) 1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Appearance Amber liquid

Physical State Liquid

Odor Mild

CLASSIFICATION

Acute toxicity – Inhalation (Dusts/Mists)

Category 4

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Warning

Hazard Statements

Harmful if inhaled



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Weight-%
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	72623-86-0	30–40
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	72623-87-1	20–30

If Chemical Name/CAS No is “proprietary” and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

- Eye Contact** Flush thoroughly with water. If irritation occurs, get medical assistance.
- Skin Contact** Wash contact area with soap and water. INJECTION INJURY WARNING: If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.
- Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or doctor/physician if you feel unwell.
- Ingestion** Not expected to be a problem. However, if greater than ½ Liter (pint) ingested, immediately give 1 to 2 glasses of water and call a physician, hospital emergency room or poison control center for assistance. Do not induce vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects

- Symptoms** May be harmful in contact with skin. Harmful if inhaled.

Indication of any immediate medical attention and special treatment needed

- Notes to Physician** Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Water or foam may cause frothing.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	See Section 12 for additional Ecological Information. Prevent spills from entering storm sewers or drains and contact with soil.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Adsorb on fire retardant treated sawdust, diatomaceous earth, etc. Shovel up and dispose of at an appropriate waste disposal facility in accordance with current applicable laws and regulations, and product characteristics at time of disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. DO NOT pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks or static electricity or other sources or ignition.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Do not store in open or unlabeled containers. Store away from strong oxidizing agents or combustible material. Empty container retain residue (liquid and/or vapor) and can be dangerous. Do not attempt to refill or clean container since residue is difficult to remove. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.
Incompatible Materials	Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Exposure Guidelines</u>	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
-----------------------------------	---

Appropriate engineering controls

Engineering Controls	No special requirements under ordinary conditions of use and with adequate ventilation.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Normal industrial eye protection practices should be employed.
Skin and Body Protection	No special equipment required. However, good personal hygiene practices should always be followed.
Respiratory Protection	No special requirements under ordinary conditions of use and with adequate ventilation.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid		
Appearance	Amber liquid	Odor	Mild
Color	Amber	Odor Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not available	
Melting Point/Freezing Point	Not available/Not established	
Boiling Point/Boiling Range	>316 °C / >600 °F	
Flash Point	Not determined	
Evaporation Rate	Not established	
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	<0.1 mmHg	@ 20°C (68°F)
Vapor Density	>2.0	
Specific Gravity	Not determined	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not established	
Auto-ignition Temperature	Not established	
Decomposition Temperature	Not determined	
Kinematic Viscosity	129.0 cSt	@ 40°C (104°F)
Dynamic Viscosity	18.0 cSt	@ 100°C (212°F)
Explosive Properties	Not available	
Oxidizing Properties	Not available	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Extreme heat.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Harmful if inhaled.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based 72623-86-0	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based 72623-87-1	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see Section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based 72623-86-0		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based 72623-86-0		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Other Adverse Effects

Not determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

- Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
- DOT** Not regulated
- IATA** Not regulated
- IMDG** Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	Present	X		Present		Present	X	Present	X	X
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	Present	X		Present		Present	X	Present	X	X

Legend:

- TSCA – United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS – European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS – Japan Existing and New Chemical Substances*
- IECSC – China Inventory of Existing Chemical Substances*
- KECL – Korean Existing and Evaluated Chemical Substances*
- PICCS – Philippines Inventory of Chemicals and Chemical Substances*
- AICS – Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA)(40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA)(40 CFR 355).

SARA 311/312 Hazard Categories

- Acute Health Hazard** No
- Chronic Health Hazard** No

Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations.

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	0	1	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	0	1	0	Not Determined

Issue Date: 20-Apr-2012
 Revision Date: 30-Dec-2015
 Revision Note: Chemical update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet